



BE ORANGE.
BE BETTER.

**BE MORE
PRODUCTIVE
ON EVERY JOB**

Friendly Service... Powerful Solutions




ALEX[®] CONDUIT

EMT CONDUIT & ACCESSORIES



CONTENTS

- ALEX® EMT CONDUIT & FITTINGS 03-07
- ALEX® IMC & RIGID CONDUIT FITTINGS 08-12
- ALEX® CONDUIT BOXES & COVERS 13-22
- ALEX® ALUMINUM CONDUIT & WEATHERPROOF BOXES 23-27
- ALEX® PVC CONDUIT BOXES & COVERS 28-30
- ALEX® FLEX CONDUIT & FITTINGS 31-34
- ALEX® STRUT CHANNEL & SUPPORT 35-37
- ALEX® WIRE ACCESSORIES 38-44
- ALEX® DISTRIBUTION BOX 45-46



Steel Conduit Line



Flexible Pipe



Punching Machine



Injection Machine



Die Cast



Loading


ALEX® EMT CONDUIT

(Electrical Metallic Tubing)

ANSI C80.3-1983

ELECTRICAL METALLIC TUBING

CAT#	Trade Size	Nominal Outside Diameter ¹		Nominal Wall Thickness	
		in.	mm.	in.	mm.
ALX-50E	1/2	0.706	17.9	0.042	1.07
ALX-75E	3/4	0.922	23.4	0.049	1.25
ALX-100E	1	1.163	29.5	0.057	1.45
ALX-125E	1-1/4	1.510	38.4	0.065	1.65
ALX-150E	1-1/2	1.740	44.2	0.065	1.65
ALX-200E	2	2.197	55.8	0.065	1.65
ALX-250E	2-1/2	2.875	73.0	0.072	1.83
ALX-300E	3	3.500	88.9	0.072	1.83
ALX-350E	3-1/2	4.000	101.6	0.083	2.11
ALX-400E	4	4.500	114.3	0.083	2.11



Outside diameter tolerances: +/- .005 in. (.13mm) for trade sizes 1/2 (16mm) through 2 (53mm);
 +/- .010 in. (.25mm) for trade sizes 2-1/2 (63mm);
 +/- .015 in. (.38mm) for trade sizes 3 (78mm);
 +/- .020 in. (.51mm) for trade sizes 3-1/2 (91mm) and 4 (103mm);

NOTE: Length = 10 ft. (3.05m) with a tolerance of +/- .25 in. (6.35mm)

KWIK-FIT™ EMT

CAT#	Trade Size	Nominal Outside Diameter ¹		Nominal Wall Thickness	
		in.	mm.	in.	mm.
ALX-75KF	3/4	0.922	23.4	0.049	1.25
ALX-100KF	1	1.163	29.5	0.057	1.45
ALX-125KF	1-1/4	1.510	38.4	0.065	1.65
ALX-150KF	1-1/2	1.740	44.2	0.065	1.65
ALX-200KF	2	2.197	55.8	0.065	1.65
ALX-250KF	2-1/2	2.875	73.0	0.072	1.83
ALX-300KF	3	3.500	88.9	0.072	1.83
ALX-350KF	3-1/2	4.000	101.6	0.083	2.11
ALX-400KF	4	4.500	114.3	0.083	2.11



Outside diameter tolerances: +/- .005 in. (.13mm) for trade sizes 1/2 (16mm) through 2 (53mm);
 +/- .010 in. (.25mm) for trade sizes 2-1/2 (63mm);
 +/- .015 in. (.38mm) for trade sizes 3 (78mm);
 +/- .020 in. (.51mm) for trade sizes 3-1/2 (91mm) and 4 (103mm);

NOTE: Length = 10 ft. (3.05m) with a tolerance of +/- .25 in. (6.35mm)


ALEX® EMT CONNECTORS

SET SCREW TYPE



ZINC DIE CAST	
CAT#	SIZE
TC-501	1/2"
TC-502	3/4"
TC-503	1"
TC-504	1 1/4"
TC-505	1 1/2"
TC-506	2"
TC-507	2 1/2"
TC-508	3"
TC-510	4"

COMPRESSION TYPE



ZINC DIE CAST	
CAT#	SIZE
TC-601	1/2"
TC-602	3/4"
TC-603	1"
TC-604	1 1/4"
TC-605	1 1/2"
TC-606	2"
TC-607	2 1/2"
TC-608	3"
TC-610	4"

ALEX® EMT CONNECTORS

SET SCREW TYPE



STEEL	
CAT#	SIZE
TC-501S	1/2"
TC-502S	3/4"
TC-503S	1"
TC-504S	1 1/4"
TC-505S	1 1/2"
TC-506S	2"
TC-507S	2 1/2"
TC-508S	3"
TC-510S	4"

COMPRESSION TYPE



STEEL	
CAT#	SIZE
TC-601S	1/2"
TC-602S	3/4"
TC-603S	1"
TC-604S	1 1/4"
TC-605S	1 1/2"
TC-606S	2"
TC-607S	2 1/2"
TC-608S	3"
TC-610S	4"

● RAIN AND CONCRETE TIGHT 1/2"-2"

ALEX® EMT COUPLINGS

SET SCREW TYPE



ZINC DIE CAST	
CAT#	SIZE
TC-511	1/2"
TC-512	3/4"
TC-513	1"
TC-514	1 1/4"
TC-515	1 1/2"
TC-516	2"
TC-517	2 1/2"
TC-518	3"
TC-520	4"

COMPRESSION TYPE



ZINC DIE CAST	
CAT#	SIZE
TC-611	1/2"
TC-612	3/4"
TC-613	1"
TC-614	1 1/4"
TC-615	1 1/2"
TC-616	2"
TC-617	2 1/2"
TC-618	3"
TC-620	4"

ALEX® EMT COUPLINGS

SET SCREW TYPE



STEEL	
CAT#	SIZE
TC-511S	1/2"
TC-512S	3/4"
TC-513S	1"
TC-514S	1 1/4"
TC-515S	1 1/2"
TC-516S	2"
TC-517S	2 1/2"
TC-518S	3"
TC-520S	4"

COMPRESSION TYPE



STEEL	
CAT#	SIZE
TC-611S	1/2"
TC-612S	3/4"
TC-613S	1"
TC-614S	1 1/4"
TC-615S	1 1/2"
TC-616S	2"
TC-617S	2 1/2"
TC-618S	3"
TC-620S	4"

● RAIN AND CONCRETE TIGHT 1/2"-2"

ALEX® EMT CONNECTORS INSULATED

SET SCREW TYPE



ZINC DIE CAST

CAT#	SIZE
TC-501P	1/2"
TC-502P	3/4"
TC-503P	1"
TC-504P	1 1/4"
TC-505P	1 1/2"
TC-506P	2"
TC-507P	2 1/2"
TC-508P	3"
TC-510P	4"

SET SCREW TYPE



STEEL

CAT#	SIZE
TC-501SP	1/2"
TC-502SP	3/4"
TC-503SP	1"
TC-504SP	1 1/4"
TC-505SP	1 1/2"
TC-506SP	2"
TC-507SP	2 1/2"
TC-508SP	3"
TC-510SP	4"


COMPRESSION TYPE



ZINC DIE CAST

CAT#	SIZE
TC-601P	1/2"
TC-602P	3/4"
TC-603P	1"
TC-604P	1 1/4"
TC-605P	1 1/2"
TC-606P	2"
TC-607P	2 1/2"
TC-608P	3"
TC-610P	4"

COMPRESSION TYPE



STEEL

CAT#	SIZE
TC-601SP	1/2"
TC-602SP	3/4"
TC-603SP	1"
TC-604SP	1 1/4"
TC-605SP	1 1/2"
TC-606SP	2"
TC-607SP	2 1/2"
TC-608SP	3"
TC-610SP	4"

● RAIN AND CONCRETE TIGHT 1/2"-2"

ALEX® EMT STAPRS

TWO HOLES



STEEL

CAT#	SIZE
ALX-531	1/2"
ALX-532	3/4"
ALX-533	1"
ALX-534	1 1/4"
ALX-535	1 1/2"
ALX-536	2"
ALX-537	2 1/2"
ALX-538	3"
ALX-540	4"

ONE HOLES



STEEL

CAT#	SIZE
ALX-521	1/2"
ALX-522	3/4"
ALX-523	1"
ALX-524	1 1/4"
ALX-525	1 1/2"
ALX-526	2"
ALX-527	2 1/2"
ALX-528	3"
ALX-530	4"

ALEX® EMT 90° RADIUS ELBOW

GALVANIZED STEEL



CAT#	SIZE
ALX-81	1/2"
ALX-82	3/4"
ALX-83	1"
ALX-84	1 1/4"
ALX-85	1 1/2"
ALX-86	2"
ALX-87	2 1/2"
ALX-88	3"
ALX-90	4"

ALEX® EMT 45° RADIUS ELBOW

GALVANIZED STEEL



CAT#	SIZE
ALX-71	1/2"
ALX-72	3/4"
ALX-73	1"
ALX-74	1 1/4"
ALX-75	1 1/2"
ALX-76	2"
ALX-77	2 1/2"
ALX-78	3"
ALX-80	4"

ALEX® EMT OFFSET CONNECTOR



EMT TO BOX COMPRESSION TYPE

CAT#	SIZE
ALX-781	1/2"
ALX-782	3/4"
ALX-783	1"



EMT TO EMT SET SCREW TYPE

CAT#	SIZE
ALX-771	1/2"
ALX-772	3/4"
ALX-773	1"

ALEX® EMT 90° PULL ELBOW



EMT TO BOX SET SCREW TYPE

CAT#	SIZE
ALX-371	1/2"
ALX-372	3/4"
ALX-373	1"
ALX-374	1 1/4"



EMT TO EMT SET SCREW TYPE

CAT#	SIZE
ALX-381	1/2"
ALX-382	3/4"
ALX-383	1"
ALX-384	1 1/4"

ALEX® EMT DRIVE STRAPS



FLAT TYPE STEEL

CAT#	SIZE
ALX-DS1	1/2"
ALX-DS2	3/4"
ALX-DS3	1"

ALEX® EMT COMPRESSION TO FLEX



SCREW-IN TYPE

CAT#	SIZE
ALX-131	1/2"-1/2"
ALX-132	3/4"-3/4"
ALX-133	1"-1"

ALEX® EMT/RIGID CLAMP BACKS



MALLEABLE IRON

CAT#	SIZE
ALX-481	1/2"
ALX-482	3/4"
ALX-483	1"
ALX-484	1 1/4"
ALX-485	1 1/2"
ALX-486	2"

ALEX® RIGID STRAPS



ONE HOLE

MALLEABLE IRON

CAT#	SIZE
ALX-861	1/2"
ALX-862	3/4"
ALX-863	1"
ALX-864	1 1/4"
ALX-865	1 1/2"
ALX-866	2"

CONDUIT HANGER WITH SCREW AND NUT



STEEL

CAT#	SIZE
ALX-621	1/2"
ALX-622	3/4"
ALX-623	1"
ALX-624	1 1/4"
ALX-625	1 1/2"
ALX-626	2"
ALX-627	2 1/2"
ALX-628	3"
ALX-630	4"

ALEX® EMT ENTRANCE CAPS



CLAMP ON TYPE

ALUMINUM

CAT#	SIZE
ALX-731	1/2"
ALX-732	3/4"
ALX-733	1"
ALX-734	1 1/4"
ALX-735	1 1/2"
ALX-736	2"
ALX-737	2 1/2"
ALX-738	3"
ALX-740	4"

ALEX® EMT 90° CONNECTORS

SET SCREW TYPE



ZINC DIE CAST

CAT#	SIZE
ALX-161	1/2"
ALX-162	3/4"

COMPRESSION TYPE



ZINC DIE CAST

CAT#	SIZE
ALX-431	1/2"
ALX-432	3/4"
ALX-433	1"

ALEX® EMT TO EMT

INSIDE CORNER SET SCREW TYPE



ZINC DIE CAST

CAT#	SIZE
ALX-341	1/2"
ALX-342	3/4"

ALEX® COMBINATION COUPLINGS

EMT TO RIGID SET SCREW TYPE



STEEL

CAT#	SIZE
ALX-391S	1/2"
ALX-392S	3/4"
ALX-393S	1"

ALEX® EMT FASTLOCK CONNECTORS

ZINC DIE CAST



CAT#	SIZE
ALX-1701	1/2"
ALX-1702	3/4"
ALX-1703	1"

ZINC DIE CAST



CAT#	SIZE
ALX-1701P	1/2"
ALX-1702P	3/4"
ALX-1703P	1"

ALEX® PUSH EMT CONNECTORS

ZINC DIE CAST



CAT#	SIZE
ALX-250-MB	1/2"
ALX-251-MB	3/4"
ALX-252-MB	1"

ALEX® PUSH EMT COUPLINGS

ZINC DIE CAST



CAT#	SIZE
ALX-260-MB	1/2"
ALX-261-MB	3/4"
ALX-262-MB	1"

ALEX® EMT INSULATING BUSHINGS

POLYTHELENE



CAT#	SIZE
ALX-1661	1/2"
ALX-1662	3/4"
ALX-1663	1"
ALX-1664	1 1/4"
ALX-1665	1 1/2"
ALX-1666	2"
ALX-1667	2 1/2"
ALX-1668	3"
ALX-1670	4"

CONDUIT FASTENER

Material: Mn Steel



CAT#	SIZE
ALX-631	1/2"
ALX-632	3/4"
ALX-633	1"
ALX-634	1 1/4"
ALX-635	1 1/2"
ALX-636	2"

SPRING STEEL FASTENER



Material: Mn Steel Finished: Black


CAT#	SIZE
ALX-CK01	1/2"
ALX-CK02	3/4"
ALX-CK03	1"

FLANGE MOUNT CONDUIT CLIP



Material: Mn Steel Finished: Black

CAT#	SIZE
ALX-ZCC01V	1/2"
ALX-ZCC02V	3/4"
ALX-ZCC03V	1"



Material: Mn Steel Finished: Black

CAT#	SIZE
ALX-ZCC01	1/2"
ALX-ZCC02	3/4"
ALX-ZCC03	1"

ALEX® EMT BENDERS



MALLEABLE IRON

CAT#	For EMT	For IMC /RIGID
ALX-31M	1/2"	-
ALX-32M	3/4"	1/2"
ALX-33M	1"	3/4"

ALUMINUM

CAT#	For EMT	For IMC /RIGID
ALX-31A	1/2"	-
ALX-32A	3/4"	1/2"
ALX-33A	1"	3/4"

ALEX® RIGID CONDUIT



(Rigid Steel Conduit)
ANSI C80.1-2005

CAT#	Size	Outside Diameter		Inside Diameter		Wall Thickness		Length	
		in.	mm	in.	mm	in.	mm	feet	mm
ALX-50R	1/2"	0.840	21.34	0.632	16.5	0.104	2.64	10	3050
ALX-75R	3/4"	1.050	26.67	0.836	21.23	0.107	2.72	10	3050
ALX-100R	1"	1.315	33.40	1.063	27.00	0.126	3.20	10	3050
ALX-125R	1-1/4"	1.660	42.16	1.394	35.41	0.133	3.38	10	3050
ALX-150R	1-1/2"	1.900	48.26	1.624	41.25	0.138	3.51	10	3050
ALX-200R	2"	2.375	60.33	2.083	52.91	0.146	3.71	10	3050
ALX-250R	2-1/2"	2.875	73.03	2.489	63.22	0.193	4.90	10	3050
ALX-300R	3"	3.500	88.90	3.090	78.49	0.205	5.21	10	3050
ALX-350R	3-1/2"	4.000	101.60	3.570	90.68	0.215	5.46	10	3050
ALX-400R	4"	4.500	114.30	4.050	102.87	0.225	5.72	10	3050
ALX-500R	5"	5.563	141.30	5.073	128.85	0.245	6.22	10	3050
ALX-600R	6"	6.626	168.30	6.094	154.78	0.266	6.76	10	3050

ALEX® IMC CONDUIT

(Intermediate Metal Conduit)
ANSI C80.6-2005

CAT#	Size	Outside Diameter						Minimum Wall Thickness		Length without coupling	
		Nominal		Minimum		Maximum		in.	mm	in.	mm
ALX-50M	1/2"	0.815	20.7	0.810	20.6	0.820	20.8	0.070	1.78	9'-11-1/4"	3029.0
ALX-75M	3/4"	1.029	26.1	1.024	26.0	1.034	26.3	0.075	1.91	9'-11-1/4"	3029.0
ALX-100M	1"	1.290	32.8	1.285	32.6	1.295	32.9	0.085	2.16	9'-11"	3022.6
ALX-125M	1-1/4"	1.638	41.6	1.630	41.4	1.645	41.8	0.085	2.16	9'-11"	3022.6
ALX-150M	1-1/2"	1.883	47.8	1.875	47.6	1.890	48.0	0.090	2.29	9'-11"	3022.6
ALX-200M	2"	2.360	59.9	2.352	59.7	2.367	59.9	0.095	2.41	9'-11"	3022.6
ALX-250M	2-1/2"	2.857	72.6	2.847	72.3	2.867	72.8	0.140	3.56	9'-10-1/2"	3009.9
ALX-300M	3"	3.476	88.3	3.466	88	3.486	88.5	0.140	3.56	9'-10-1/2"	3009.9
ALX-350M	3-1/2"	3.971	100.9	3.961	100.6	3.981	101.1	0.140	3.56	9'-10-1/4"	3003.6
ALX-400M	4"	4.466	113.3	4.456	113.2	4.476	113.7	0.140	3.56	9'-10-1/4"	3003.6

Applicable Tolerances Wall Thickness: ±0.4mm for size 1/2" to 1½ 0.5mm for size 1-1/4" to larger
Length: ±6.0mm (without coupling)

ALEX® RIGID CONNECTORS

SET SCREW TYPE



ZINC DIE CAST

CAT#	SIZE
ALX-671	1/2"
ALX-672	3/4"
ALX-673	1"
ALX-674	1 1/4"
ALX-675	1 1/2"
ALX-676	2"

SET SCREW TYPE



STEEL

CAT#	SIZE
ALX-671S	1/2"
ALX-672S	3/4"
ALX-673S	1"
ALX-674S	1 1/4"
ALX-675S	1 1/2"
ALX-676S	2"

COMPRESSION TYPE



STEEL

CAT#	SIZE
ALX-251S	1/2"
ALX-252S	3/4"
ALX-253S	1"
ALX-254S	1 1/4"
ALX-255S	1 1/2"
ALX-256S	2"

ALEX® RIGID STRAPS

TWO HOLE



STEEL

CAT#	SIZE
ALX-551	1/2"
ALX-552	3/4"
ALX-553	1"
ALX-554	1 1/4"
ALX-555	1 1/2"
ALX-556	2"
ALX-557	2 1/2"
ALX-558	3"
ALX-560	4"

ONE HOLE



STEEL

CAT#	SIZE
ALX-541	1/2"
ALX-542	3/4"
ALX-543	1"
ALX-544	1 1/4"
ALX-545	1 1/2"
ALX-546	2"
ALX-547	2 1/2"
ALX-548	3"
ALX-550	4"

ALEX® RIGID 90° RADIUS ELBOW



GALVANIZED STEEL / ALUMINUM

CAT#	SIZE
ALX-61/61AL	1/2"
ALX-62/62AL	3/4"
ALX-63/63AL	1"
ALX-64/64AL	1 1/4"
ALX-65/65AL	1 1/2"
ALX-66/66AL	2"
ALX-67/67AL	2 1/2"
ALX-68/68AL	3"
ALX-70/70AL	4"

ALEX® RIGID COUPLINGS

TUBULAR THREADED TYPE



GALVANIZED STEEL / ALUMINUM

CAT#	SIZE
ALX-51/51AL	1/2"
ALX-52/52AL	3/4"
ALX-53/53AL	1"
ALX-54/54AL	1 1/4"
ALX-55/55AL	1 1/2"
ALX-56/56AL	2"
ALX-57/57AL	2 1/2"
ALX-58/58AL	3"
ALX-60/60AL	4"

ALEX® RIGID COUPLINGS

SET SCREW TYPE



ZINC DIE CAST

CAT#	SIZE
ALX-681	1/2"
ALX-682	3/4"
ALX-683	1"
ALX-684	1 1/4"
ALX-685	1 1/2"
ALX-686	2"

SET SCREW TYPE



STEEL

CAT#	SIZE
ALX-681S	1/2"
ALX-682S	3/4"
ALX-683S	1"
ALX-684S	1 1/4"
ALX-685S	1 1/2"
ALX-686S	2"


COMPRESSION TYPE



STEEL

CAT#	SIZE
ALX-261S	1/2"
ALX-262S	3/4"
ALX-263S	1"
ALX-264S	1 1/4"
ALX-265S	1 1/2"
ALX-266S	2"

ALEX® REDUCING BUSHINGS



STEEL

CAT#	SIZE
ALX-RB1	1/2"x3/8"
ALX-RB2	3/4"x1/2"
ALX-RB3	1"x1/2"
ALX-RB4	1"x3/4"
ALX-RB5	1 1/4"x1/2"
ALX-RB6	1 1/4"x3/4"
ALX-RB7	1 1/4"x1"
ALX-RB8	1 1/2"x1/2"
ALX-RB9	1 1/2"x3/4"
ALX-RB10	1 1/2"x1"
ALX-RB11	1 1/2"x1 1/4"
ALX-RB12	2"x1/2"
ALX-RB13	2"x3/4"
ALX-RB14	2"x1"
ALX-RB15	2"x1 1/4"
ALX-RB16	2"x1 1/2"

ALEX® RIGID COUPLINGS

THREE PIECE TYPE



ALUMINUM / MALLEABLE IRON

CAT#	SIZE
ALX-561A/561	1/2"
ALX-562A/562	3/4"
ALX-563A/563	1"
ALX-564A/564	1 1/4"
ALX-565A/565	1 1/2"
ALX-566A/566	2"
ALX-567A/567	2 1/2"
ALX-568A/568	3"
ALX-570A/570	4"

ALEX® RIGID OFFSET NIPPLES

3/4" OFFSET




ZINC DIE CAST

CAT#	SIZE
ALX-111	1/2"
ALX-112	3/4"
ALX-113	1"
ALX-114	1 1/4"
ALX-115	1 1/2"
ALX-116	2"

ALEX® REDUCING WASHERS

Material: Steel Finished: Galvanized



CAT#	SIZE
ALX-900	3/4"x1/2"
ALX-901	1"x1/2"
ALX-902	1"x3/4"
ALX-903	1 1/4"x1/2"
ALX-904	1 1/4"x3/4"
ALX-905	1 1/4"x1"
ALX-906	1 1/2"x1/2"
ALX-907	1 1/2"x3/4"
ALX-908	1 1/2"x1"
ALX-909	1 1/2"x1 1/4"
ALX-910	2"x1/2"
ALX-911	2"x3/4"
ALX-912	2"x1"
ALX-913	2"x1 1/4"
ALX-914	2"x1 1/2"

ALEX® RIGID CONDUIT CHASE NIPPLES



ZINC DIE CAST

CAT#	SIZE
ALX-751	1/2"
ALX-752	3/4"
ALX-753	1"
ALX-754	1 1/4"
ALX-755	1 1/2"
ALX-756	2"
ALX-757	2 1/2"
ALX-758	3"
ALX-760	4"


KNOCKOUT SEALS



STEEL

CAT#	SIZE
ALX-K50	1/2"
ALX-K51	3/4"
ALX-K52	1"
ALX-K53	1 1/4"
ALX-K54	1 1/2"
ALX-K55	2"

ALEX® RIGID 90° PULL ELBOWS



RIGID TO RIGID THREADED TYPE

CAT#	SIZE
ALX-351	1/2"
ALX-352	3/4"
ALX-353	1"
ALX-354	1 1/4"



RIGID TO BOX THREADED TYPE

CAT#	SIZE
ALX-361	1/2"
ALX-362	3/4"
ALX-363	1"
ALX-364	1 1/4"

ALEX[®] RIGID CONDUIT BUSHINGS



ZINC DIE CAST	
CAT#	SIZE
ALX-301	1/2"
ALX-302	3/4"
ALX-303	1"
ALX-304	1 1/4"
ALX-305	1 1/2"
ALX-306	2"
ALX-307	2 1/2"
ALX-308	3"
ALX-310	4"



MALLEABLE IRON	
CAT#	SIZE
ALX-301M	1/2"
ALX-302M	3/4"
ALX-303M	1"
ALX-304M	1 1/4"
ALX-305M	1 1/2"
ALX-306M	2"
ALX-307M	2 1/2"
ALX-308M	3"
ALX-310M	4"

ALEX[®] INSULATED RIGID BUSHINGS



ZINC DIE CAST	
CAT#	SIZE
ALX-311	1/2"
ALX-312	3/4"
ALX-313	1"
ALX-314	1 1/4"
ALX-315	1 1/2"
ALX-316	2"
ALX-317	2 1/2"
ALX-318	3"
ALX-320	4"

ALEX[®] INSULATED BUSHINGS



MALLEABLE IRON	
CAT#	SIZE
ALX-311M	1/2"
ALX-312M	3/4"
ALX-313M	1"
ALX-314M	1 1/4"
ALX-315M	1 1/2"
ALX-316M	2"
ALX-317M	2 1/2"
ALX-318M	3"
ALX-320M	4"

ALEX[®] INSULATED BUSHING WITH GROUNDING



WITH ALUMINUM LUG	
CAT#	SIZE
ALX-331	1/2"
ALX-332	3/4"
ALX-333	1"
ALX-334	1 1/4"
ALX-335	1 1/2"
ALX-336	2"
ALX-337	2 1/2"
ALX-338	3"
ALX-340	4"

ALEX[®] INSULATED BUSHING WITH GROUNDING



WITH ALUMINUM LUG	
CAT#	SIZE
ALX-321	1/2"
ALX-322	3/4"
ALX-323	1"
ALX-324	1 1/4"
ALX-325	1 1/2"
ALX-326	2"
ALX-327	2 1/2"
ALX-328	3"
ALX-330	4"

ALEX[®] INSULATING PLASTIC BUSHINGS

105°C FLAME RETARDANT THERMOPLASTIC



CAT#	SIZE
ALX-831	1/2"
ALX-832	3/4"
ALX-833	1"
ALX-834	1 1/4"
ALX-835	1 1/2"
ALX-836	2"
ALX-837	2 1/2"
ALX-838	3"
ALX-840	4"

ALEX[®] SERVICE ENTRANCE CAPS



ZINC DIE CAST	
CAT#	SIZE
ALX-741	1/2"
ALX-742	3/4"
ALX-743	1"
ALX-744	1 1/4"
ALX-745	1 1/2"
ALX-746	2"
ALX-747	2 1/2"
ALX-748	3"
ALX-750	4"

ALEX[®] RIGID LOCKNUTS




STEEL	
CAT#	SIZE
ALX-281	1/2"
ALX-282	3/4"
ALX-283	1"
ALX-284	1 1/4"
ALX-285	1 1/2"
ALX-286	2"
ALX-287	2 1/2"
ALX-288	3"
ALX-290	4"

ALEX[®] GROUNDING LOCKNUTS



STEEL	
CAT#	SIZE
ALX-261	1/2"
ALX-262	3/4"
ALX-263	1"
ALX-264	1 1/4"
ALX-265	1 1/2"
ALX-266	2"
ALX-267	2 1/2"
ALX-268	3"
ALX-270	4"

ALEX[®] RIGID WATERTIGHT HUBS



ZINC DIE CAST / ALUMINUM	
CAT#	SIZE
ALX-201/201AL	1/2"
ALX-202/202AL	3/4"
ALX-203/203AL	1"
ALX-204/204AL	1 1/4"
ALX-205/205AL	1 1/2"
ALX-206/206AL	2"
ALX-207/207AL	2 1/2"
ALX-208/208AL	3"
ALX-210/210AL	4"

FISH WIRE



SPRING STEEL	
CAT#	SIZE
ALX-890	1/8" x .060" x 25'
ALX-891	1/8" x .060" x 50'
ALX-892	1/8" x .060" x 100'
ALX-893	1/8" x .060" x 200'
ALX-894	1/4" x .060" x 50'
ALX-895	1/4" x .060" x 100'
ALX-896	1/4" x .060" x 200'

ALEX[®] RIGID LOCKNUTS



ZINC DIE CAST	
CAT#	SIZE
ALX-241	1/2"
ALX-242	3/4"
ALX-243	1"
ALX-244	1 1/4"
ALX-245	1 1/2"
ALX-246	2"
ALX-247	2 1/2"
ALX-248	3"
ALX-250	4"

ALEX[®] CONDUIT NIPPLES




GALVANIZED STEEL			
CAT#	SIZE	LENGTH AVAILABLE	
ALX-6451	1/2"	Close	1 1/2"~12"
ALX-6452	3/4"	Close	
ALX-6453	1"	Close	
ALX-6454	1 1/4"	Close	2"~12"
ALX-6455	1 1/2"	Close	
ALX-6456	2"	Close	2 1/2"~12"
ALX-6457	2 1/2"	Close	
ALX-6458	3"	Close	3"~12"
ALX-6460	4"	Close	4"~12"

NAIL PLATE WITH PRONGS




STEEL	
CAT#	SIZE
ALX-187	1-1/2"x6"x1/16"
ALX-187A	3-1/2"x6"x1/16"
ALX-188	1-1/2"x5"x1/16"
ALX-189	1-1/2"x2-1/2"x1/16"
ALX-189B	1-1/2"x2-1/2"x1/16"
ALX-189-100	1-1/2"x2-1/2"x1/16"

PERFORATED BANDING IRON






CAT#	SIZE
ALX-T50	12 x 0.7mm x 10m
ALX-T100	17 x 0.7mm x 10m
ALX-T150	26 x 1.0mm x 10m



CAT#	SIZE
ALX-T50P	12 x 0.7mm x 10m
ALX-T100P	17 x 0.7mm x 10m
ALX-T150P	26 x 1.0mm x 10m


ALEX[®] 4" SQUARE CONDUIT BOXES


	Drawn 	Welding 	
1-1/2" DEEP BOXES	2-1/8" DEEP BOXES	2-1/8" DEEP BOXES	1-1/2" DEEP EXTENSIONS
CAT#	CAT#	CAT#	CAT#
ALX-52151-1/2"	ALX-52171-1/2"	ALX-52171-1/2"	ALX-53151-1/2"
ALX-52151-3/4"	ALX-52171-3/4"	ALX-52171-3/4"	ALX-53151-3/4"
ALX-52151-1/2" & 3/4"	ALX-52171-1/2" & 3/4"	ALX-52171-1/2" & 3/4"	ALX-53151-1/2" & 3/4"
ALX-52151-concentric 1/2 & 3/4"	ALX-52171-1"	ALX-52171-1"	

ALEX[®] 4" SQUARE CONDUIT BOXES COVERS

			
ALX-52C1	ALX-52C6	ALX-52C62	ALX-52C18
CAT#	DESCRIPTION	CAT#	DESCRIPTION
ALX-52C1	Flat, Blank	ALX-52C0	Flat, for One Device
ALX-52C6	Flat, 1/2"K.O.	ALX-52C62	for One Device
		ALX-52C13	for One Device
		ALX-52C14	for One Device
		ALX-52C15	for One Device
		ALX-52C16	for One Device
		ALX-C7515	4S Plaster Ring
		CAT#	DESCRIPTION
		ALX-52C00	Flat, for One Device
		ALX-52C20	for One Device
		ALX-52C17	for One Device
		ALX-52C18	for One Device
		ALX-52C19	for One Device
		ALX-52C21	for One Device
		RAISED	RAISED
			-
			1/4"
			1/2"
			3/4"
			1"
			1-1/4"
			1/4"





ALEX[®] RECTANGULAR CONDUIT BOXES & COVERS

	4"x2" DRAW HANDY BOXES		1-7/8" DEEP EXTENSIONS
	1-1/2" DEEP 1-7/8" DEEP 2-1/8" DEEP		
	CAT#		CAT#
	ALX-58361-1/2"		ALX-59361-1/2"
	ALX-58361-3/4"		ALX-59361-3/4"
	ALX-58361-1/2" & 3/4"		ALX-59361-1/2" & 3/4"

						
ALX-58C1	ALX-58C36	ALX-58C7	ALX-58C2	ALX-58C6	ALX-58C5	ALX-58C4
CAT#	DESCRIPTION	CAT#	DESCRIPTION	CAT#	DESCRIPTION	CAT#
ALX-58C1	BLANK	ALX-58C6	1/2" K.O.	ALX-58C5	15A 1.406" diameter	ALX-58C4
ALX-58C36	TOGGLE SWITCH				30-50A 1.60" diameter	
ALX-58C7	DUPLEX RECEPTACLE					
ALX-58C2	GFCI					




ALEX[®] 4" OCTAGONAL CONDUIT BOXES & COVERS

			
1-1/2" DEEP BOXES	2-1/8" DEEP BOXES	1-1/2" DEEP EXTENSIONS	1-1/2" DEEP BOXES
CAT#	CAT#	CAT#	CAT#
ALX-54151-1/2"	ALX-54171-1/2"	ALX-55151-1/2"	ALX-58151-1/2"
ALX-54151-3/4"	ALX-54171-3/4"	ALX-55151-3/4"	ALX-58151-3/4"
ALX-54151-1/2" & 3/4"	ALX-54171-1/2" & 3/4"	ALX-55151-1/2" & 3/4"	ALX-58151-1/2" & 3/4"
	ALX-54171-1"		

			
ALX-54C1R	ALX-54C6R	ALX-54C1	ALX-54C6
CAT#	DESCRIPTION		
ALX-54C1R	Blank		
ALX-54C6R	1/2" O.K.		
ALX-54C1	Blank		
ALX-54C6	1/2" O.K.		

ALEX[®] 4-11/16" SQUARE CONDUIT BOXES & COVERS

		
1-1/2" DEEP BOXES	2-1/8" DEEP BOXES	2-1/8" DEEP EXTENSIONS
CAT#	CAT#	CAT#
ALX-72151-1/2"	ALX-72171-1/2" & 3/4"	ALX-73151-1/2" & 3/4"
ALX-72151-3/4"	ALX-72171-1"	ALX-73151-1"
ALX-72151-1/2" & 3/4"	ALX-72171-3/4" & 1"	
	ALX-72171-1" & 1 1/4"	
	ALX-72171-1 1/4"	

			
ALX-72C1	ALX-72C6	ALX-72C13	ALX-72C18
CAT#	DESCRIPTION	CAT#	DESCRIPTION
ALX-72C1	Flat, Blank	ALX-72C0	Flat, for One Device
ALX-72C6	Flat, 1/2"K.O.	ALX-72C62	for One Device
		ALX-72C13	for One Device
		ALX-72C14	for One Device
		CAT#	DESCRIPTION
		ALX-72C00	Flat, for Two Devices
		ALX-72C20	for Two Devices
		ALX-72C17	for Two Devices
		ALX-72C18	for Two Devices
		RAISED	RAISED
			-
			1/4"
			1/2"
			3/4"

ALEX® INDUSTRIAL COVERS / DEPTH 5/8"

<p>Without screws</p>  <p>ALX-SQ00</p>	<p>QTY of screws: two 1 Toggle Switch</p>  <p>ALX-SQ01</p>	<p>QTY of screws: four 2 Toggle Switch</p>  <p>ALX-SQ02</p>	<p>QTY of screws: four 1 Toggle + 1GF1</p>  <p>ALX-SQ03</p>
<p>QTY of screws: five 1 Dulex+ Toggle Switch</p>  <p>ALX-SQ04</p>	<p>Size of knockout: 35.7 QTY of screws: four 1 Toggle Switch + 15A 1.406" Diameter</p>  <p>ALX-SQ05</p>	<p>QTY of screws: five 15A 1.406" Diameter + 1 Flush Duplex</p>  <p>ALX-SQ06</p>	<p>QTY of screws: three 1 Duplex</p>  <p>ALX-SQ07</p>
<p>Size of knockout: 35.7 QTY of screws: five 1 Duplex + 15A 1.406" Diameter</p>  <p>ALX-SQ08</p>	<p>QTY of screws: five 1 GF1 + 1 Duplex</p>  <p>ALX-SQ09</p>	<p>QTY of screws: six 2 Duplex Receptacles</p>  <p>ALX-SQ10</p>	<p>Size of knockout: 35.7 QTY of screws: two 1 X 15A 1.406" Diameter</p>  <p>ALX-SQ11</p>
<p>Size of knockout: 40.5 QTY of screws: two 1 X 20A 1.60" Diameter</p>  <p>ALX-SQ12</p>	<p>QTY of screws: three 1 Flush Duplex</p>  <p>ALX-SQ13</p>	<p>Size of knockout: 2x35.7 QTY of screws: four 2 X 15A 1.406" Diameter</p>  <p>ALX-SQ14</p>	<p>Size of knockout: 2x40.5 QTY of screws: four 2 X 20A 1.60" Diameter</p>  <p>ALX-SQ15</p>
<p>Size of knockout: 35.7 QTY of screws: five 1 Toggle Switch + 1 Flush Duplex</p>  <p>ALX-SQ16</p>	<p>Size of knockout: 54.7 QTY of screws: four 40A / 50A 2.155 Diameter</p>  <p>ALX-SQ17</p>	<p>QTY of screws: two 1 GF 1</p>  <p>ALX-SQ18</p>	<p>QTY of screws: four 2 GF 1</p>  <p>ALX-SQ19</p>

ALEX® NEMA ENCLOSURES

MATERIAL: STEEL
FINISHED: PAINTED

**NEMA TYPE 1
SCREW COVER ENCLOSURES**

- PRODUCT FEATURES**
- ANSI 61 Gray Polyester Powder Paint Finish inside and out
 - 16 Gauge Steel or Plated Steel
 - Mounting holes on back of box



WITH K.O. WITHOUT K.O.

CAT#	Enclosure size (inches)			K.O. Patten		Std. Pkg.
	Width	Height	Depth	A (Top & Bottom)	B (Left & Right)	
ALX-444K/NK	4	4	4	B-C	B-C	6
ALX-464K/NK	4	6	4	B-C	B-C-D	6
ALX-664K/NK	6	6	4	B-C-D	B-C-D	6
ALX-666K/NK	6	6	6	B-C-D	B-C-D	6
ALX-884K/NK	8	8	4	F-G-H-I	F-G-H-I	6
ALX-886K/NK	8	8	6	F-G-H-I	F-G-H-I	4
ALX-10104K/NK	10	10	4	C-D-E-F-G	F-G-H-I	4
ALX-10106K/NK	10	10	6	C-D-E-F-G	F-G-H-I	4
ALX-12124K/NK	12	12	4	C-D-E-F-G	C-D-E-F-G	2
ALX-12126K/NK	12	12	6	C-D-E-F-G	C-D-E-F-G	2
ALX-12128K/NK	12	12	8	C-D-E-F-G	C-D-E-F-G	1
ALX-12186K/NK	12	18	6	C-D-E-F-G	A-B-C-D-E-F-G-H-I	1
ALX-16164K/NK	16	16	4	B-C-D-E-F-G-H	B-C-D-E-F-G-H	1
ALX-16166K/NK	16	16	6	B-C-D-E-F-G-H	B-C-D-E-F-G-H	1
ALX-16168K/NK	16	16	8	B-C-D-E-F-G-H	B-C-D-E-F-G-H	1
ALX-18184K/NK	18	18	4	A-B-C-D-E-F-G-H-I	A-B-C-D-E-F-G-H-I	1
ALX-18186K/NK	18	18	6	A-B-C-D-E-F-G-H-I	A-B-C-D-E-F-G-H-I	1
ALX-18188K/NK	18	18	8	A-B-C-D-E-F-G-H-I	A-B-C-D-E-F-G-H-I	1

**NEMA 3R
SCREW COVER ENCLOSURES**


- PRODUCT FEATURES**
- ANSI 61 Gray Polyester Powder Paint Finish inside and out
 - 16 Gauge Steel or Plated Steel
 - Mounting holes on back of box
 - With Padlock Hasp



BOTTOM:
WITH K.O./WITHOUT K.O.

CAT#	Body Style	Enclosure size (inches)			K.O. Patten (Bottom)	Std. Pkg.
		Width	Height	Depth		
ALX-444R/RNK	A	4	4	4	B-C	6
ALX-464R/RNK	A	4	6	4	B-C	6
ALX-664R/RNK	A	6	6	4	B-C-D	6
ALX-666R/RNK	A	6	6	6	B-C-D	6
ALX-884R/RNK	A	8	8	4	F-G-H-I	6
ALX-886R/RNK	A	8	8	6	F-G-H-I	4
ALX-10104R/RNK	A	10	10	4	C-D-E-F-G	4
ALX-10106R/RNK	A	10	10	6	C-D-E-F-G	4
ALX-12124R/RNK	A	12	12	4	C-D-E-F-G	2
ALX-12126R/RNK	A	12	12	6	C-D-E-F-G	2
ALX-12128R/RNK	A	12	12	8	C-D-E-F-G	1
ALX-12186R/RNK	A	12	18	6	C-D-E-F-G	1
ALX-16164R/RNK	B	16	16	4	B-C-D-E-F-G-H	1
ALX-16166R/RNK	B	16	16	6	B-C-D-E-F-G-H	1
ALX-16168R/RNK	B	16	16	8	B-C-D-E-F-G-H	1
ALX-18184R/RNK	B	18	18	4	A-B-C-D-E-F-G-H-I	1
ALX-18186R/RNK	B	18	18	6	A-B-C-D-E-F-G-H-I	1
ALX-18188R/RNK	B	18	18	8	A-B-C-D-E-F-G-H-I	1

**NEMA Type 1 and Type 3R
Knock Out Patterns**



ALEX® MASONRY BOXES

2-1/2" Deep



Features

- Welded
- 2-1/2" deep
- Concentric KOs
- 6/32 Tab holes for mounting devices
- Available in 1 thru 5 gang

Applications

- Solid, 2-1/2" deep, multi-gang masonry boxes are used for mounting switches, plugs, outlets and other electronic and electrical devices in masonry, brick and 4" block walls.
- Extra deep design allows for deep devices, numerous wires, switches and other electronic and electrical devices.

Standard Material


- Galvanized steel




ALX-MAB71




ALX-MAB72



ALX-MAB73



ALX-MAB74



ALX-MAB75



ALX-MAG71

CAT#	Description	Knockouts	
		Sides	Bottom
ALX-MAB71	1 gang	1/2" & 3/4" Con	1/2" & 3/4" Con
ALX-MAB72	2 gang	1/2" & 3/4" Con	1/2" & 3/4" Con
ALX-MAB73	3 gang	1/2" & 3/4" Con	1/2" & 3/4" Con
ALX-MAB74	4 gang	1/2" & 3/4" Con	1/2" & 3/4" Con
ALX-MAB75	5 gang	1/2" & 3/4" Con	1/2" & 3/4" Con
ALX-MAG71	1 gang gangable	1/2" & 3/4" Con	1/2" & 3/4" Con

3-1/2" Deep



Features

- Welded
- 3-1/2" deep
- concentric KOs
- 6/32 Tab holes for mounting devices
- Available in 1 thru 6 gang

Applications

- Solid, multi-gang masonry boxes are used for mounting switches, plugs, outlets and other electronic and electrical devices in masonry, brick and 4" block walls.
- Extra deep design allows for deep devices, numerous wires, switches and other electronic and electrical devices.

Standard Material


- Galvanized steel




ALX-MAB91




ALX-MAB92




ALX-MAB93



ALX-MAB94



ALX-MAB95



ALX-MAB96



ALX-MAG91

CAT#	Description	Knockouts	
		Sides	Bottom
ALX-MAB91	1 gang	1/2" & 3/4" Con	1/2" & 3/4" Con
ALX-MAB92	2 gang	1/2" & 3/4" Con	1/2" & 3/4" Con
ALX-MAB93	3 gang	1/2" & 3/4" Con	1/2" & 3/4" Con
ALX-MAB94	4 gang	1/2" & 3/4" Con	1/2" & 3/4" Con
ALX-MAB95	5 gang	1/2" & 3/4" Con	1/2" & 3/4" Con
ALX-MAB96	6 gang	1/2" & 3/4" Con	1/2" & 3/4" Con
ALX-MAG91	1 gang gangable	1/2" & 3/4" Con	1/2" & 3/4" Con

ALEX® MULTI-GANG SWITCH BOXES

1-5/8" Deep




Features

- 1-5/8" deep
- Welded
- Available with 1/2" and 3/4" concentric KOs
- Available in 2 thru 8 gang

Standard Material


- Galvanized steel



ALX-MSB12




ALX-MSB16



ALX-MSB14



ALX-MSB15



ALX-MSB16



ALX-MSB18

CAT#	Description	Knockouts	
		Sides	Bottom
ALX-MSB12	2 gang	1/2" & 3/4" Con	1/2" & 3/4" Con
ALX-MSB16	3 gang	1/2" & 3/4" Con	1/2" & 3/4" Con
ALX-MSB14	4 gang	1/2" & 3/4" Con	1/2" & 3/4" Con
ALX-MSB15	5 gang	1/2" & 3/4" Con	1/2" & 3/4" Con
ALX-MSB16	6 gang	1/2" & 3/4" Con	1/2" & 3/4" Con
ALX-MSB18	8 gang	1/2" & 3/4" Con	1/2" & 3/4" Con

2-1/2" Deep



Features

- 2-1/2" deep
- Welded
- Available with 1/2" and 3/4" concentric KOs
- Available in 2 thru 6 gang

Applications

- Use when more than two devices or outlets are required in one box
- Multi-Gang Switch boxes can be installed in walls or ceilings for lighting fixtures, switches, receptacles or other outlet devices
- Use to bring power to a number of electrical devices where multiple conductor runs are split in two or more directions

Standard Material

- Galvanized steel




ALX-MSB32




ALX-MSB33



ALX-MSB34



ALX-MSB35



ALX-MSB36

CAT#	Description	Knockouts	
		Sides	Bottom
ALX-MSB32	2 gang	1/2" & 3/4" Con	1/2" & 3/4" Con
ALX-MSB36	3 gang	1/2" & 3/4" & 3/4" & 1" Con	1/2" & 3/4" Con
ALX-MSB34	4 gang	1/2" & 3/4" & 3/4" & 1" Con	1/2" & 3/4" Con
ALX-MSB35	5 gang	1/2" & 3/4" & 3/4" & 1" Con	1/2" & 3/4" Con
ALX-MSB36	6 gang	1/2" & 3/4" & 3/4" & 1" Con	1/2" & 3/4" Con

ALEX® Adjustable Depth Multi-Gang Device Rings

3/4" - 1 1/2" Adjustable Depth



ALX-GBADR3



ALX-GBADR4



ALX-GBADR5



ALX-GBADR6

Features

- Ideal for exposed work applications, providing an easy method for the installation of electrical devices
- Telescoping inner ring provides flexibility during installation when the finished surface depth is unknown
- Adjusts from 3/4" to 1-1/2" from stud level
- Slots allow for easy installation
- Available in 3 thru 6 gang

Applications

- Adjustable multi-gang device rings are used to mount switches, receptacles and other electrical devices
- Use in ceilings, walls and floors when the finished surface depth is uncertain, to allow a flush installation to the finished surface

Standard Material

- Galvanized Steel

CAT#	Description	Depth
ALX-GBADR3	3 gang	3/4" - 1 1/2"
ALX-GBADR4	4 gang	3/4" - 1 1/2"
ALX-GBADR5	5 gang	3/4" - 1 1/2"
ALX-GBADR6	6 gang	3/4" - 1 1/2"

ALEX® Multi-Gang Device Rings


1/2" Raised




ALX-GBDC12



ALX-GBDC14



ALX-GBDC15



ALX-GBDC16


CAT#	Description	Depth
ALX-GBDC12	2 gang	1/2"
ALX-GBDC16	3 gang	1/2"
ALX-GBDC14	4 gang	1/2"
ALX-GBDC15	5 gang	1/2"
ALX-GBDC16	6 gang	1/2"

ALEX® Multi-Gang Device Rings


3/4" Raised




ALX-GBDC22




ALX-GBDC23



ALX-GBDC24



ALX-GBDC25



ALX-GBDC26

CAT#	Description	Depth
ALX-GBDC22	2 gang	3/4"
ALX-GBDC23	3 gang	3/4"
ALX-GBDC24	4 gang	3/4"
ALX-GBDC25	5 gang	3/4"
ALX-GBDC26	6 gang	3/4"

ALEX® Multi-Gang Box Covers

Duplex



2 gang, Flat

ALX-GBDUP2

3 gang, Flat

ALX-GBDUP3

4 gang, Flat

ALX-GBDUP4

5 gang, Flat

ALX-GBDUP5

6 gang, Flat

ALX-GBDUP6

Blank



2 gang, Flat

ALX-GBBLK2

3 gang, Flat

ALX-GBBLK3

4 gang, Flat

ALX-GBBLK4

5 gang, Flat

ALX-GBBLK5

6 gang, Flat

ALX-GBBLK6

Toggle



2 gang, Flat

ALX-GBTGL2

3 gang, Flat

ALX-GBTGL3

4 gang, Flat

ALX-GBTGL4

5 gang, Flat

ALX-GBTGL5

6 gang, Flat

ALX-GBTGL6

GFCI



2 gang, Flat

ALX-GBGFC2

3 gang, Flat

ALX-GBGFC3

4 gang, Flat

ALX-GBGFC4

5 gang, Flat


ALX-GBGFC5

6 gang, Flat

ALX-GBGFC6

ALEX® JUNCTION BOXES

ELECTRA BOX
Double & Triple Knockouts



Made of 0.9/11 mm thick sheet steel

CAT#	Depth (mm)	Size (mm)
ALX-1010	55/75/100	100 x 100
ALX-1515	55/75/100	150 x 150
ALX-2020	55/75/100	200 x 200
ALX-2525	55/75/100	250 x 250
ALX-3030	55/75/100	300 x 300
ALX-3535	55/75/100	350 x 350
ALX-4040	55/75/100	400 x 400

ALEX® CHUQUI BOX



CAT#	Size L x W x H(mm)
ALX-001	118 x 76 x 40


ALEX® SCREW COVER ENCLOSURES



Material: Steel Finishes: Painted or galvanized

CAT#	in.	Size L x W x H(mm)
ALX-664	6 x 6 x 4	150 x 150 x 100
ALX-884	8 x 8 x 4	200 x 200 x 100
ALX-10104	10 x 10 x 4	250 x 250 x 100
ALX-12124	12 x 12 x 4	300 x 300 x 100
ALX-16164	16 x 16 x 4	400 x 400 x 100
ALX-18184	18 x 18 x 4	450 x 450 x 100

ALEX® SWITCH GALVANIZED BOX



CAT#	Size L x W x H(mm)
ALX-A01	100 x 65 x 65
ALX-A11	100 x 100 x 65
ALX-B12	200 x 100 x 100
ALX-B15	150 x 120 x 100
ALX-B22	200 x 200 x 100
ALX-B23	300 x 200 x 100
ALX-B34	400 x 300 x 100
ALX-C23	300 x 200 x 150
ALX-C34	400 x 300 x 150

ALEX® SWITCH AND SOCKET BOXES

35mm deep		47mm deep		35mm deep		47mm deep	
CAT No.	Type of Entry	CAT No.	Type of Entry	CAT No.	Type of Entry	CAT No.	Type of Entry
ALX-03301	20 & 25mm ko's	ALX-033D01	20 & 25mm ko's	ALX-03601	20 & 25mm ko's	ALX-036D01	20 & 25mm ko's
ALX-03302	20mm ko's	ALX-033D02	20mm ko's	ALX-03602	20mm ko's	ALX-036D02	20mm ko's
ALX-03303	25mm ko's	ALX-033D03	25mm ko's	ALX-03603	25mm ko's	ALX-036D03	25mm ko's

16/25/35mm deep		16/25/35mm deep		MAGIC BOX	
CAT No.	Type of Entry	CAT No.	Type of Entry	CAT No.	Size L x W x H(mm)
ALX-036E01	20 & 25mm ko's	ALX-033E01	20 & 25mm ko's	ALX-0203EM	100 x 60 x 50
ALX-036E02	20mm ko's	ALX-033E02	20mm ko's		
ALX-036E03	25mm ko's	ALX-033E03	25mm ko's		

35mm deep		35mm deep	
CAT No.	Type of Entry	CAT No.	Type of Entry
ALX-030301	20 & 25mm ko's	ALX-030601	20 & 25mm ko's
ALX-030302	20mm ko's	ALX-030602	20mm ko's
ALX-030303	25mm ko's	ALX-030603	25mm ko's

35mm deep		35mm deep	
CAT No.	Type of Entry	CAT No.	Type of Entry
ALX-0303031	20 & 25mm ko's	ALX-0303061	20 & 25mm ko's
ALX-0303032	20mm ko's	ALX-0303062	20mm ko's
ALX-0303033	25mm ko's	ALX-0303063	25mm ko's

PVC JUNCTION BOX For Chile Market



PVC 2"x4" Rectangular Conduit Box		PVC 2"x4" Rectangular Conduit Box	
CAT#	Size	CAT#	Size
ALX-24A	2 x 4	ALX-24B	2 x 4

PVC JUNCTION BOX For Philippines Market



PVC 2"x4" Rectangular Conduit Box		PVC 4" Octagonal Conduit Box	
CAT#	Size	CAT#	Size
ALX-24C	2 x 4	ALX-44C	4 x 4

PVC SINGLE COVER

RECEPTACLE COVER	GFI RECEPTACLE COVER	DUPLIX RECEPTACLE COVER	SWITCH COVER
ALX-1317/15 AMP ALX-1318/20 AMP ALX-1319/30 AMP ALX-1320/50 AMP	ALX-1321	ALX-1323	ALX-1315

ALEX® Aluminum EMT Conduit

(Electrical Metallic Tubing)

ANSI C80.3-1983 MADE OF 6005 ALLOY

ALUMINUM ELECTRICAL METALLIC TUBING

CAT#	Trade Size	Outside Diameter			Minimum Wall Thickness		Approx Weight Per 100 ft (30.5m)		Length
		in.	in.	mm.	in.	mm.	lb	kg	
ALX-50EA	1/2	0.706	17.9	0.042	1.07	10.3	4.7	10	
ALX-75EA	3/4	0.922	23.4	0.049	1.25	15.8	7.2	10	
ALX-100EA	1	1.163	29.5	0.057	1.45	23.3	10.6	10	
ALX-125EA	1-1/4	1.510	38.4	0.065	1.65	34.7	15.78	10	
ALX-150EA	1-1/2	1.740	44.2	0.065	1.65	40.2	18.3	10	
ALX-200EA	2	2.197	55.8	0.065	1.65	51.2	23.3	10	
ALX-250EA	2-1/2	2.875	73.0	0.072	1.83	74.6	33.9	10	
ALX-300EA	3	3.500	88.9	0.072	1.83	91.1	41.1	10	
ALX-350EA	3-1/2	4.000	101.6	0.083	2.11	120.1	54.6	10	
ALX-400EA	4	4.500	114.3	0.083	2.11	135.5	61.6	10	

Outside diameter tolerances: +/- .005 in. (.13mm) for trade sizes 1/2 (16mm) through 2 (53mm); +/- .010 in. (.25mm) for trade sizes 2-1/2 (63mm); +/- .015 in. (.38mm) for trade sizes 3 (78mm); +/- .020 in. (.51mm) for trade sizes 3-1/2 (91mm) and 4 (103mm);

NOTE: Length = 10 ft. (3.05m) with a tolerance of +/- .25 in. (6.35mm)

Aluminum Rigid Conduit (ARC)

Listed to UL Safety Standard 6A

Manufactured in accordance with ANSI C80.5 MADE OF 6063 ALLOY

CAT#	Trade Size	Metric Designator	Outside Diameter		Nominal Wall Thickness		Approximate Weight Per 100 FT.(30.5m)		Quantity In Master Bundle	
			in.	mm	in.	mm	lb	kg	ft	m
ALX-50RA	1/2"	16	0.840	21.34	0.104	2.64	28	12.7	2500	762.5
ALX-75RA	3/4"	21	1.050	26.67	0.107	2.72	37	17	2500	762.5
ALX-100RA	1"	27	1.315	33.40	0.126	3.20	55	24.7	2000	610.0
ALX-125RA	1-1/4"	35	1.660	42.16	0.133	3.38	72	32.5	1000	304.8
ALX-150RA	1-1/2"	41	1.900	48.26	0.138	3.51	89	40.2	1000	304.8
ALX-200RA	2"	53	2.375	60.33	0.146	3.71	119	53.8	450	137.2
ALX-250RA	2-1/2"	63	2.875	73.03	0.193	4.90	188	85.0	300	91.5
ALX-300RA	3"	78	3.500	88.90	0.205	5.21	246	111.7	200	61.0
ALX-350RA	3-1/2"	91	4.000	101.60	0.215	5.46	296	134.1	200	61.0
ALX-400RA	4"	103	4.500	114.30	0.225	5.72	350	158.9	200	61.0
ALX-500RA	5"	129	5.563	141.30	0.245	6.22	479	217.2	80	23.4
ALX-600RA	6"	155	6.625	168.28	0.266	6.76	635	287.8	80	18.3

*Tolerances: 1/2 to 1-1/2 trade sizes +/- 0.15 in. 2 to 6 trade sizes +/- 1%. Each length of conduit with coupling attached will be nominally 10 feet

ALEX® EMT SET SCREW TYPE CONDUIT BODIES

EMT LB TYPE		EMT T TYPE		EMT LR TYPE		EMT LL TYPE	
CAT#	SIZE	CAT#	SIZE	CAT#	SIZE	CAT#	SIZE
ALX-ELB1	1/2"	ALX-ET1	1/2"	ALX-ELR1	1/2"	ALX-ELL1	1/2"
ALX-ELB2	3/4"	ALX-ET2	3/4"	ALX-ELR2	3/4"	ALX-ELL2	3/4"
ALX-ELB3	1"	ALX-ET3	1"	ALX-ELR3	1"	ALX-ELL3	1"
ALX-ELB4	1 1/4"	ALX-ET4	1 1/4"	ALX-ELR4	1 1/4"	ALX-ELL4	1 1/4"
ALX-ELB5	1 1/2"	ALX-ET5	1 1/2"	ALX-ELR5	1 1/2"	ALX-ELL5	1 1/2"
ALX-ELB6	2"	ALX-ET6	2"	ALX-ELR6	2"	ALX-ELL6	2"
ALX-ELB7	2 1/2"	ALX-ET7	2 1/2"	ALX-ELR7	2 1/2"	ALX-ELL7	2 1/2"
ALX-ELB8	3"	ALX-ET8	3"	ALX-ELR8	3"	ALX-ELL8	3"
ALX-ELB10	4"	ALX-ET10	4"	ALX-ELR10	4"	ALX-ELL10	4"

EMT C TYPE		COVERS & GASKET WITH SCREWS		
CAT#	SIZE	ALUMINUM		STEEL
		CAT#	CAT#	SIZE
ALX-EC1	1/2"	ALX-571A	ALX-571S	1/2"
ALX-EC2	3/4"	ALX-572A	ALX-572S	3/4"
ALX-EC3	1"	ALX-573A	ALX-573S	1"
ALX-EC4	1 1/4"	ALX-574A	ALX-574S	1 1/4"
ALX-EC5	1 1/2"	ALX-575A	ALX-575S	1 1/2"
ALX-EC6	2"	ALX-576A	ALX-576S	2"
ALX-EC7	2 1/2"	ALX-577A	ALX-577S	2 1/2"
ALX-EC8	3"	ALX-578A	ALX-578S	3"
ALX-EC10	4"	ALX-580A	ALX-580S	4"





ALEX® RIGID THREADED CONDUIT BODIES

RIGID LB TYPE		RIGID T TYPE		RIGID LR TYPE		RIGID LL TYPE	
CAT#	SIZE	CAT#	SIZE	CAT#	SIZE	CAT#	SIZE
ALX-LB1	1/2"	ALX-T1	1/2"	ALX-LR1	1/2"	ALX-LL1	1/2"
ALX-LB2	3/4"	ALX-T2	3/4"	ALX-LR2	3/4"	ALX-LL2	3/4"
ALX-LB3	1"	ALX-T3	1"	ALX-LR3	1"	ALX-LL3	1"
ALX-LB4	1 1/4"	ALX-T4	1 1/4"	ALX-LR4	1 1/4"	ALX-LL4	1 1/4"
ALX-LB5	1 1/2"	ALX-T5	1 1/2"	ALX-LR5	1 1/2"	ALX-LL5	1 1/2"
ALX-LB6	2"	ALX-T6	2"	ALX-LR6	2"	ALX-LL6	2"
ALX-LB7	2 1/2"	ALX-T7	2 1/2"	ALX-LR7	2 1/2"	ALX-LL7	2 1/2"
ALX-LB8	3"	ALX-T8	3"	ALX-LR8	3"	ALX-LL8	3"
ALX-LB10	4"	ALX-T10	4"	ALX-LR10	4"	ALX-LL10	4"

RIGID C TYPE		ALUMINUM CONNECT BOXES		
CAT#	SIZE	PAINTED GREY/UNPAINTED		
		CAT#	SIZE	
ALX-C1	1/2"	ALX-B01	91x91x54	
ALX-C2	3/4"	ALX-B02	128x103x57	
ALX-C3	1"	ALX-B03	155x130x58	
ALX-C4	1 1/4"	ALX-B04	178x156x75	
ALX-C5	1 1/2"	ALX-B05	239x202x85	
ALX-C6	2"	ALX-B06	294x244x114	
ALX-C7	2 1/2"	ALX-B07	392x298x149	
ALX-C8	3"			
ALX-C10	4"			



FSB – ONE GANG BOXES 2" DEEP

COPPER FREE ALUMINUM

			
3 HOLES	4 HOLES	5 HOLES	5X HOLES
CAT# SIZE	CAT# SIZE	CAT# SIZE	CAT# SIZE
ALX-FSB50-3 1/2"	ALX-FSB50-4 1/2"	ALX-FSB50-5 1/2"	ALX-FSB50-5X 1/2"
ALX-FSB75-3 3/4"	ALX-FSB75-4 3/4"	ALX-FSB75-5 3/4"	ALX-FSB75-5X 3/4"
ALX-FSB100-3 1"	BOXES INCLUDING 2 CLOSURE PLUGS, GROUNDING SCREWS AND MOUNTING LUGS		

TGB – TWO GANG BOXES 2" DEEP

COPPER FREE ALUMINUM

			
3 HOLES	4 HOLES	5 HOLES	5X HOLES
CAT# SIZE	CAT# SIZE	CAT# SIZE	CAT# SIZE
ALX-TGB50-3 1/2"	ALX-TGB50-4 1/2"	ALX-TGB50-5 1/2"	ALX-TGB50-5X 1/2"
ALX-TGB75-3 3/4"	ALX-TGB75-4 3/4"	ALX-TGB75-5 3/4"	ALX-TGB75-5X 3/4"
ALX-TGB100-3 1"			

			
6 HOLES	7 HOLES	7X HOLES	9 HOLES
CAT# SIZE	CAT# SIZE	CAT# SIZE	CAT# SIZE
ALX-TGB50-6X 1/2"	ALX-TGB50-7 1/2"	ALX-TGB50-7X 1/2"	ALX-TGB50-9 1/2"
ALX-TGB75-6X 3/4"	ALX-TGB75-7 3/4"	ALX-TGB75-7X 3/4"	ALX-TGB75-9 3/4"

DTB – TWO GANG BOXES 2-5/8" DEEP

COPPER FREE ALUMINUM

	
5 HOLES	7 HOLES
CAT# SIZE	CAT# SIZE
ALX-DTB50-5 1/2"	ALX-DTB50-7X 1/2"
ALX-DTB75-5 3/4"	ALX-DTB75-7X 3/4"
ALX-DTB100-5 1"	ALX-DTB100-7X 1"

DB – ONE GANG DEEP BOX 2-5/8" DEEP AND COVER

COPPER FREE ALUMINUM

			
3 HOLES	4 HOLES	5 HOLES	4" ROUND BOX
CAT# SIZE	CAT# SIZE	CAT# SIZE	CAT# SIZE
ALX-DB50-3 1/2"	ALX-DB50-4 1/2"	ALX-DB50-5X 1/2"	ALX-RB50-5 1/2"
ALX-DB75-3 3/4"	ALX-DB75-4 3/4"	ALX-DB75-5X 3/4"	ALX-RB75-5 3/4"
ALX-DB100-3 1"	ALX-DB100-4 1"	ALX-DB100-5X 1"	

ROUND	SINGLE GANG	DOUBLE GANG	4" EXTENSION RINGS
			
CAT# SIZE	CAT# SIZE	CAT# SIZE	CAT# SIZE
ALX-RBC-4-S Steel	ALX-1-BC-S Steel	ALX-2-BC-S Steel	ALX-EXR50-4 1/2"
ALX-RBC-4-A Aluminum	ALX-1-BC-A Aluminum	ALX-2-BC-A Aluminum	ALX-EXR75-4 3/4"

4" ROUND COVERS

ONE GANG COVERS

					
1 HOLES	2 HOLES	3 HOLES	1 HOLES	2 HOLES	3 HOLES
ALX-RC-1	ALX-RC-2	ALX-RC-3	ALX-RE-1	ALX-RE-2	ALX-RE-3
Size: 1/2" I.P.S Holes			Size: 1/2" I.P.S Holes		

ALUMINUM ROUND JUNCTION BOX

		
CAT# SIZE	CAT# SIZE	CAT# SIZE
ALX-JB01 1/2" / 20mm	ALX-JB03 1/2" / 20mm	ALX-JB05 1/2" / 20mm
ALX-JB02 3/4" / 25mm	ALX-JB04 3/4" / 25mm	ALX-JB06 3/4" / 25mm

ENCLOSURE PLUG

		
CAT# SIZE	CAT# SIZE	CAT# SIZE
ALX-JB07 1/2" / 20mm	ALX-JB09 1/2" / 20mm	ALX-EP10/EP10P 1/2"
ALX-JB08 3/4" / 25mm	ALX-JB10 3/4" / 25mm	ALX-EP11/EP11P 3/4"
		ALX-EP12/EP12P 1"

SINGLE GANG COVERS

COPPER FREE ALUMINUM

10 in 1 Vertical & Horizontal Multi-Use Cover



DUPLEX VERTICAL



DUPLEX HORIZONTAL



RECEPTACLE SWITCH



HORIZONTAL GFCI



VERTICAL GFCI



VERTICAL TOGGLE SWITCH HEAVY DUTY COVER



20A/30A RECEPTACLE 30A/50A RECEPTACLE



DOUBLE GANG COVERS

ZINC DIE CAST

DUPLEX



DUPLEX & SWITCH



15 AMP SWITCH



5 IN COMBO COVER TOGGLE SWITCH



DUPLEX-GFCI



VERTICAL-GFCI



TOGGLE SWITCH HEAVY DUTY



20/50 AMP POWER OUTLET



DOUBLE GANG COVERS

16 IN VERTICAL MULTI-USE COVER



BLANK



64 IN VERTICAL MULTI-USE COVER



PAR LAMP HOLDER



ALEX® RIGID NONMETALLIC CONDUIT BODIES

RIGID LB TYPE



CAT#	SIZE
ALX-LBP1	1/2"
ALX-LBP2	3/4"
ALX-LBP3	1"
ALX-LBP4	1 1/4"
ALX-LBP5	1 1/2"
ALX-LBP6	2"

RIGID T TYPE



CAT#	SIZE
ALX-TP1	1/2"
ALX-TP2	3/4"
ALX-TP3	1"
ALX-TP4	1 1/4"
ALX-TP5	1 1/2"
ALX-TP6	2"

RIGID LR TYPE



CAT#	SIZE
ALX-LRP1	1/2"
ALX-LRP2	3/4"
ALX-LRP3	1"
ALX-LRP4	1 1/4"
ALX-LRP5	1 1/2"
ALX-LRP6	2"

RIGID LL TYPE



CAT#	SIZE
ALX-LLP1	1/2"
ALX-LLP2	3/4"
ALX-LLP3	1"
ALX-LLP4	1 1/4"
ALX-LLP5	1 1/2"
ALX-LLP6	2"

RIGID C TYPE



CAT#	SIZE
ALX-CP1	1/2"
ALX-CP2	3/4"
ALX-CP3	1"
ALX-CP4	1 1/4"
ALX-CP5	1 1/2"
ALX-CP6	2"

RIGID E TYPE



CAT#	SIZE
ALX-EP1	1/2"
ALX-EP2	3/4"
ALX-EP3	1"
ALX-EP4	1 1/4"
ALX-EP5	1 1/2"
ALX-EP6	2"

ALEX® BLANK COVERS



ALEX® SINGLE GANG FS BOXES



CAT#	SIZE
ALX-FSE-50	1/2"
ALX-FSE-75	3/4"
ALX-FSE-100	1"



CAT#	SIZE
ALX-FSS-50	1/2"
ALX-FSS-75	3/4"
ALX-FSS-100	1"



CAT#	SIZE
ALX-FSC-50	1/2"
ALX-FSC-75	3/4"
ALX-FSC-100	1"



CAT#	SIZE
ALX-FSCC-50	1/2"
ALX-FSCC-75	3/4"
ALX-FSCC-100	1"

ALEX® TWO GANG FS BOXES



CAT#	SIZE
ALX-2FSE-50	1/2"
ALX-2FSE-75	3/4"
ALX-2FSE-100	1"



CAT#	SIZE
ALX-2FSS-50	1/2"
ALX-2FSS-75	3/4"
ALX-2FSS-100	1"



CAT#	SIZE
ALX-2FSC-50	1/2"
ALX-2FSC-75	3/4"
ALX-2FSC-100	1"







CAT#	SIZE
ALX-2FSCC-50	1/2"
ALX-2FSCC-75	3/4"
ALX-2FSCC-100	1"

END CAPS	SERVICE ENTRANCE CAPS	END BELLS	METER OFFSET
			
1/2"~6"	1/2"~4"	1/2"~6"	1-1/4", 2"


COUPLINGS	FEMALE ADAPTERS	TERMINAL ADAPTERS	POLY PLUGS
			
1/2"~6"	1/2"~6"	1/2"~6"	2"~6"

REDUCERS	BOX ADAPTERS	TWO HOLE PIPE STRAPS	PVC OFFSETS
			
3/4"~4"	1/2"~4"	1/2"~4"	1/2", 3/4"

90° BELL END ELBOWS	90° PLAIN END ELBOWS	TWO PIECE EXPANSION COUPLINGS	ROUND JUNCTION BOX
			
Schedule 40 PVC 1/2"~6'	Schedule 40 PVC 1/2"~6'	1/2"~4"	1/2", 3/4"

JUNCTION BOXES	DUPLEX BOXES & COVER	PULL ELBOWS	ENT CONDUIT
			
4"/6"/8"/12"/24"	Single	1/2", 3/4"	Coils 1/2", 3/4", 1"

ALEX® PVC ELECTRICAL METALLIC TUBING

	CAT#	Trade Size	Nominal Outside Diameter'		Nominal Wall Thickness	
		in.	in.	mm.	in.	mm.
	ALX-50P	1/2	0.706	17.9	0.042	1.07
	ALX-75P	3/4	0.922	23.4	0.049	1.25
	ALX-100P	1	1.163	29.5	0.057	1.50

ALEX® PVC EMT CONNECTOR

	CAT#	SIZE
	ALX-501P	1/2"
	ALX-502P	3/4"
	ALX-503P	1



ALEX® PVC EMT ELBOW

	CAT#	SIZE
	ALX-81P	1/2"
	ALX-82P	3/4"
	ALX-83P	1

ALEX® PVC EMT CONDUIT BOXES & COVERS

103mm x 60mm		4" x 4" (10cm x 10cm)	5" x 5" (12.5cm x 12.5cm)																																
																																			
<table border="1"><tr><th>CAT#</th><th>SIZE</th></tr><tr><td>58361P1</td><td>1/2"</td></tr><tr><td>58361P2</td><td>3/4"</td></tr><tr><td>58361P3</td><td>1"</td></tr></table>	CAT#	SIZE	58361P1	1/2"	58361P2	3/4"	58361P3	1"	<table border="1"><tr><th>CAT#</th><th>SIZE</th></tr><tr><td>54151P1</td><td>1/2"</td></tr><tr><td>54151P2</td><td>3/4"</td></tr><tr><td>54151P3</td><td>1"</td></tr></table>	CAT#	SIZE	54151P1	1/2"	54151P2	3/4"	54151P3	1"	<table border="1"><tr><th>CAT#</th><th>SIZE</th></tr><tr><td>52151P1</td><td>1/2"</td></tr><tr><td>52151P2</td><td>3/4"</td></tr><tr><td>52151P3</td><td>1"</td></tr></table>	CAT#	SIZE	52151P1	1/2"	52151P2	3/4"	52151P3	1"	<table border="1"><tr><th>CAT#</th><th>SIZE</th></tr><tr><td>72171P1</td><td>1/2"</td></tr><tr><td>72171P2</td><td>3/4"</td></tr><tr><td>72171P3</td><td>1"</td></tr></table>	CAT#	SIZE	72171P1	1/2"	72171P2	3/4"	72171P3	1"
CAT#	SIZE																																		
58361P1	1/2"																																		
58361P2	3/4"																																		
58361P3	1"																																		
CAT#	SIZE																																		
54151P1	1/2"																																		
54151P2	3/4"																																		
54151P3	1"																																		
CAT#	SIZE																																		
52151P1	1/2"																																		
52151P2	3/4"																																		
52151P3	1"																																		
CAT#	SIZE																																		
72171P1	1/2"																																		
72171P2	3/4"																																		
72171P3	1"																																		
103mm x 60mm		4" x 4" (10cm x 10cm)	5" x 5" (12.5cm x 12.5cm)																																
																																			
<table border="1"><tr><th>CAT#</th><th>SIZE</th></tr><tr><td>58C1P</td><td>blank</td></tr><tr><td>58C6P</td><td>1/2"</td></tr></table>	CAT#	SIZE	58C1P	blank	58C6P	1/2"	<table border="1"><tr><th>CAT#</th><th>SIZE</th></tr><tr><td>54C1RP</td><td>blank</td></tr><tr><td>54C6RP</td><td>1/2"</td></tr></table>	CAT#	SIZE	54C1RP	blank	54C6RP	1/2"	<table border="1"><tr><th>CAT#</th><th>SIZE</th></tr><tr><td>52C1P</td><td>blank</td></tr><tr><td>52C6P</td><td>1/2"</td></tr></table>	CAT#	SIZE	52C1P	blank	52C6P	1/2"	<table border="1"><tr><th>CAT#</th><th>SIZE</th></tr><tr><td>72C1P</td><td>blank</td></tr><tr><td>72C6P</td><td>1/2"</td></tr></table>	CAT#	SIZE	72C1P	blank	72C6P	1/2"								
CAT#	SIZE																																		
58C1P	blank																																		
58C6P	1/2"																																		
CAT#	SIZE																																		
54C1RP	blank																																		
54C6RP	1/2"																																		
CAT#	SIZE																																		
52C1P	blank																																		
52C6P	1/2"																																		
CAT#	SIZE																																		
72C1P	blank																																		
72C6P	1/2"																																		

ALEX® NON METALLIC LIQUID TIGHT CONDUIT

PLAIN TYPE (HF)	CAT#	Size	Inside Dia(mm)		Outside Dia(mm)		
			Min	Max	Min	Max	
	ALX-HF/CT38	3/8"	12.30	12.80	17.50	18.00	
	ALX-HF/CT12	1/2"	15.80	16.30	20.80	21.30	
	ALX-HF/CT34	3/4"	20.70	21.20	26.20	26.70	
	ALX-HF/CT1	1"	26.20	26.80	32.70	33.40	
CORRUGATED TYPE (CT)		ALX-HF/CT114	1-1/4"	34.80	35.40	41.40	42.20
		ALX-HF/CT112	1-1/2"	40.10	40.60	47.40	48.30
		ALX-HF/CT2	2"	51.30	51.90	59.40	60.30

ALEX® LIQUID TIGHT CONNECTORS

	CAT#	SIZE		CAT#	SIZE
	ALX-P471	1/2"		ALX-P491	1/2"
	ALX-P472	3/4"		ALX-P492	3/4"
	ALX-P473	1"		ALX-P493	1"
	ALX-P474	1 1/4"		ALX-P494	1 1/4"
	ALX-P475	1 1/2"		ALX-P495	1 1/2"
	ALX-P476	2"		ALX-P496	2"

ALEX® FLEXIBLE STEEL CONDUIT

Material:
Galvanized steel/aluminum

American Standard
Heavy duty



British Standard
Square Locked



CAT#	Size	Inside Dia(mm)		Outside Dia(mm)	
		Min	Max	Min	Max
ALX-4101	1/2"	15.90	16.30	20.90	23.30
ALX-4102	3/4"	20.70	21.20	26.60	28.00
ALX-4103	1"	25.40	26.40	33.00	35.00
ALX-4104	1-1/4"	31.80	33.00	39.40	41.40
ALX-4105	1-1/2"	38.20	40.00	48.70	49.40
ALX-4106	2"	50.90	52.80	59.70	62.20
ALX-4107	2-1/2"	63.60	64.40	72.70	77.70
ALX-4108	3"	76.30	76.90	98.20	90.40
ALX-4110	4"	101.70	102.80	110.80	115.80

CAT#	Size	Inside Dia(mm)		Outside Dia(mm)	
		Min	Max	Min	Max
ALX-4101B	1/2"	12.20	12.8	15.00	15.80
ALX-4102B	3/4"	18.60	19.50	21.50	22.50
ALX-4103B	1"	24.60	25.60	28.00	28.80
ALX-4104B	1-1/4"	31.50	32.30	36.60	38.00
ALX-4105B	1-1/2"	37.80	38.50	41.60	43.00
ALX-4106B	2"	49.80	50.60	55.20	56.20
ALX-4107B	2-1/2"	62.50	63.50	69.40	70.80
ALX-4108B	3"	75.50	76.50	82.50	83.80
ALX-4110B	4"	101.50	102.50	108.00	109.10

ALEX® PVC COATED FLEXIBLE CONDUIT

Material: Galvanized steel, PVC jacket



Grey

CAT#	Size	Inside Dia(mm)		Outside Dia(mm)	
		Min	Max	Min	Max
ALX-5201G	1/2"	15.70	16.3	20.2	20.7
ALX-5202G	3/4"	20.70	21.2	25.5	26.1
ALX-5203G	1"	26.0	26.6	31.6	32.2
ALX-5204G	1-1/4"	34.7	35.4	40.8	41.5
ALX-5205G	1-1/2"	40.0	40.6	46.6	47.2
ALX-5206G	2"	51.3	51.9	58.1	58.7
ALX-5207G	2-1/2"	62.9	63.3	72.1	73.0
ALX-5208G	3"	77.9	78.7	87.9	88.9
ALX-5210G	4"	101.60	102.6	113.2	114.3

GF TYPE



PF TYPE



Black

CAT#	Size	Inside Dia(mm)		Outside Dia(mm)	
		GF/PF	GF	GF	PF
ALX-GF16/PF16	16	13	16	17	
ALX-GF20/PF20	20	16.5	20.5	21.5	
ALX-GF25/PF25	25	21	25	26	
ALX-GF32/PF32	32	28	32	34	
ALX-GF40/PF40	40	37.6	42.5	44.5	
ALX-GF50/PF50	50	48.4	53	55	
ALX-GF63/PF63	63	57.5	62.5	64	

ALEX® LIQUID TIGHT FLEXIBLE STEEL CONDUIT

Galvanized steel core, corrosion resistant
With / without filler of cord



CAT#	Size	Inside Dia(mm)		Outside Dia(mm)	
		Min	Max	Min	Max
ALX-6100	3/8"	12.30	12.80	17.50	18.00
ALX-6101	1/2"	15.80	16.30	20.80	21.30
ALX-6102	3/4"	20.70	21.20	26.20	26.70
ALX-6103	1"	26.20	26.80	32.70	33.40
ALX-6104	1-1/4"	34.80	35.40	41.40	42.20
ALX-6105	1-1/2"	40.10	40.60	47.40	48.30
ALX-6106	2"	51.30	51.90	59.40	60.30
ALX-6107	2-1/2"	63.00	63.60	72.10	73.00
ALX-6108	3"	78.00	78.80	87.90	88.90
ALX-6110	4"	101.60	102.60	113.20	114.30

ALEX® LIQUID TIGHT CONNECTORS

STRAIGHT TYPE



ZINC DIE CAST

CAT#	SIZE
ALX-470	3/8"
ALX-471	1/2"
ALX-472	3/4"
ALX-473	1"
ALX-474	1 1/4"
ALX-475	1 1/2"
ALX-476	2"
ALX-477	2 1/2"
ALX-478	3"
ALX-480	4"

90° ANGLE TYPE



ZINC DIE CAST

CAT#	SIZE
ALX-490	3/8"
ALX-491	1/2"
ALX-492	3/4"
ALX-493	1"
ALX-494	1 1/4"
ALX-495	1 1/2"
ALX-496	2"
ALX-497	2 1/2"
ALX-498	3"
ALX-500	4"

ALEX® BX-FLEX CONNECTORS

STRAIGHT SQUEEZE



ZINC DIE CAST

CAT#	SIZE
ALX-150	3/8"
ALX-151	1/2"
ALX-152	3/4"
ALX-153	1"
ALX-154	1 1/4"
ALX-155	1 1/2"
ALX-156	2"
ALX-157	2 1/2"
ALX-158	3"
ALX-160	4"

ANGLE SQUEEZE



ZINC DIE CAST

CAT#	SIZE
ALX-100	3/8"
ALX-101	1/2"
ALX-102	3/4"
ALX-103	1"
ALX-104	1 1/4"
ALX-105	1 1/2"
ALX-106	2"
ALX-107	2 1/2"
ALX-108	3"
ALX-110	4"

ALEX® FLEX TO RIGID STEEL CONDUIT

SET SCREW TYPE



ZINC DIE CAST

CAT#	SIZE
ALX-141R	1/2"
ALX-142R	3/4"
ALX-143R	1"
ALX-144R	1 1/4"
ALX-145R	1 1/2"
ALX-146R	2"
ALX-147R	2 1/2"
ALX-148R	3"
ALX-150R	4"

THREAD TYPE



ZINC DIE CAST

CAT#	SIZE
ALX-151R	1/2"
ALX-152R	3/4"
ALX-153R	1"
ALX-154R	1 1/4"
ALX-155R	1 1/2"
ALX-156R	2"
ALX-157R	2 1/2"
ALX-158R	3"
ALX-160R	4"

ALEX® DUPLEX FLEX CONNECTORS



ZINC DIE CAST	
CAT#	SIZE
ALX-350	3/8"(1/2"KO)

ALEX® BX-FLEX CONNECTORS

SET SCREW TYPE



ZINC DIE CAST	
CAT#	SIZE
ALX-121	1/2"
ALX-122	3/4"

ALEX® FLEX COUPLINGS

SCREW IN TYPE



ZINC DIE CAST	
CAT#	SIZE
ALX-461	1/2"
ALX-462	3/4"
ALX-463	1"
ALX-464	1 1/4"
ALX-465	1 1/2"
ALX-466	2"

ALEX® EMT TO BX OR NM CABLE



SET SCREW TO CLAMP TYPE
ZINC DIE CAST

CAT#	SIZE
ALX-180	1/2"-3/8"

ALEX® BX-FLEX & MC CABLE CONNECTORS

CLAMP TYPE



ZINC DIE CAST	
CAT#	SIZE
ALX-191	1/2"
ALX-192	3/4"
ALX-193	1"
ALX-194	1 1/4"
ALX-195	1 1/2"
ALX-196	2"

ALEX® THREE PIECES CONNECTORS



CAT#	SIZE
ALX-16TP	16mm
ALX-20TP	20mm
ALX-25TP	25mm
ALX-32TP	32mm
ALX-40TP	40mm
ALX-50TP	50mm
ALX-63TP	63mm

ALEX SNAP-IN MC CABLE CONNECTORS



STEEL

CAT#	SIZE
ALX-AMC1	1/2"
ALX-AMC2	3/4"



Set Screw Type With Insulated Throat

CAT#	SIZE
ALX-AMC12	1/2"

ALEX® FLEX CONNECTORS

SCREW IN TYPE



ZINC DIE CAST	
CAT#	SIZE
ALX-451	1/2"
ALX-452	3/4"
ALX-453	1"
ALX-454	1 1/4"
ALX-455	1 1/2"
ALX-456	2"

ALEX® EMT TO FLEX



SET SCREW TO CLAMP TYPE
ZINC DIE CAST

CAT#	SIZE
ALX-181	1/2"-1/2"
ALX-182	3/4"-3/4"
ALX-183	1"-1"

ALEX® ALL PURPOSE CONNECTOR

CLAMP TYPE



ALUMINUM

CAT#	SIZE
ALX-TA50AL	1/2"
ALX-TA75AL	3/4"
ALX-TA100AL	1"
ALX-TA125AL	1 1/4"
ALX-TA150AL	1 1/2"
ALX-TA200AL	2"

ALEX® AC WHIPS NON-METALLIC



CAT#	Wire Type	Wire
ACW50	#10 Gauge STD THNN	1-Black 1-Red
ACW75	#8 Gauge STD THNN	1-Green
ACW50B	#12 Solid	2-Black 1-Green
ACW50C	#12 Solid 4 Wire	1-Black 1-Red 1-Green 1-White

4 FT/6 FT

ALEX® LIQUID TIGHT CONNECTORS

STRAIGHT TYPE



ZINC DIE CAST

CAT#	SIZE
ALX-470H	3/8"
ALX-471H	1/2"
ALX-472H	3/4"
ALX-473H	1"
ALX-474H	1 1/4"
ALX-475H	1 1/2"
ALX-476H	2"
ALX-477H	2 1/2"
ALX-478H	3"
ALX-479H	4"

90° ANGLE TYPE



ZINC DIE CAST

CAT#	SIZE
ALX-490H	3/8"
ALX-491H	1/2"
ALX-492H	3/4"
ALX-493H	1"
ALX-494H	1 1/4"
ALX-495H	1 1/2"
ALX-496H	2"
ALX-497H	2 1/2"
ALX-498H	3"
ALX-500H	4"

STRAIGHT TYPE



ZINC DIE CAST

CAT#	SIZE
ALX-470Q	3/8"
ALX-471Q	1/2"
ALX-472Q	3/4"
ALX-473Q	1"
ALX-474Q	1 1/4"
ALX-475Q	1 1/2"
ALX-476Q	2"
ALX-477Q	2 1/2"
ALX-478Q	3"
ALX-480Q	4"

90° ANGLE TYPE



ZINC DIE CAST

CAT#	SIZE
ALX-490Q	3/8"
ALX-491Q	1/2"
ALX-492Q	3/4"
ALX-493Q	1"
ALX-494Q	1 1/4"
ALX-495Q	1 1/2"
ALX-496Q	2"
ALX-497Q	2 1/2"
ALX-498Q	3"
ALX-500Q	4"

ALEX® LIQUID TIGHT CONNECTORS

STRAIGHT TYPE



MALLEABLE IRON

CAT#	SIZE
ALX-470M	3/8"
ALX-471M	1/2"
ALX-472M	3/4"
ALX-473M	1"
ALX-474M	1 1/4"
ALX-475M	1 1/2"
ALX-476M	2"

90° ANGLE TYPE



MALLEABLE IRON

CAT#	SIZE
ALX-490M	3/8"
ALX-491M	1/2"
ALX-492M	3/4"
ALX-493M	1"
ALX-494M	1 1/4"
ALX-495M	1 1/2"
ALX-496M	2"

STRAIGHT TYPE



MALLEABLE IRON WITH LUG

CAT#	SIZE
ALX-470ML	3/8"
ALX-471ML	1/2"
ALX-472ML	3/4"
ALX-473ML	1"
ALX-474ML	1 1/4"
ALX-475ML	1 1/2"
ALX-476ML	2"

90° ANGLE TYPE




MALLEABLE IRON WITH LUG

CAT#	SIZE
ALX-490ML	3/8"
ALX-491ML	1/2"
ALX-492ML	3/4"
ALX-493ML	1"
ALX-494ML	1 1/4"
ALX-495ML	1 1/2"
ALX-496ML	2"




SUPPORT CHANNEL



CAT#	METRIC SIZE	US SIZE
ALX-4121(H)	41mmx21mm	1-5/8"X13/16"
ALX-4141(H)	41mmx41mm	1-5/8"X1-5/8"

RIEL & RIEL DIN



RIEL Galvanized

CAT#	SIZE
ALX-1935R	19X35
ALX-1942R	19X42
ALX-4242R	42X42

RIEL DIN Galvanized

CAT#	SIZE
ALX-3575RD	35X7.5

STRUT CLAMPS



CAT#	SIZE
ALX-2101H	1/2"
ALX-2102H	3/4"
ALX-2103H	1"
ALX-2104H	1 1/4"
ALX-2105H	1 1/2"
ALX-2106H	2"
ALX-2107H	2 1/2"
ALX-2108H	3"
ALX-2110H	4"

LIGHT STRUT CLAMPS



CAT#	SIZE
ALX-2101L	1/2"
ALX-2102L	3/4"
ALX-2103L	1"
ALX-2104L	1 1/4"
ALX-2105L	1 1/2"
ALX-2106L	2"
ALX-2107L	2 1/2"
ALX-2108L	3"
ALX-2110L	4"

CHANNEL SPRING NUTS



US Thread

CAT#	Size
ALX-LSN014	1/4"
ALX-LSN516	5/16"
ALX-LSN38	3/8"
ALX-LSN12	1/2"
ALX-LSN58	5/8"
ALX-LSN34	3/4"

Metric Thread

CAT#	Size
ALX-SSN06	6mm
ALX-SSN08	8mm
ALX-SSN10	10mm
ALX-SSN12	12mm
ALX-SSN14	14mm
ALX-SSN16	16mm

US Thread

CAT#	Size
ALX-SSN014	1/4"
ALX-SSN516	5/16"
ALX-SSN38	3/8"
ALX-SSN12	1/2"
ALX-SSN58	5/8"
ALX-SSN34	3/4"

Metric Thread

CAT#	Size
ALX-SSN06	6mm
ALX-SSN08	8mm
ALX-SSN10	10mm
ALX-SSN12	12mm
ALX-SSN14	14mm
ALX-SSN16	16mm

US Thread

CAT#	Size
ALX-PN014	1/4"
ALX-PN516	5/16"
ALX-PN38	3/8"
ALX-PN12	1/2"
ALX-PN58	5/8"
ALX-PN34	3/4"

Metric Thread

CAT#	Size
ALX-PN06	6mm
ALX-PN08	8mm
ALX-PN10	10mm
ALX-PN12	12mm
ALX-PN14	14mm
ALX-PN16	16mm

THREAD BOLTS DROP IN ANCHORS SCREW WASHER



US Thread		Metric Thread		US Thread		Metric Thread		US Thread		Metric Thread	
CAT#	SIZE	CAT#	SIZE	CAT#	SIZE	CAT#	SIZE	CAT#	SIZE	CAT#	SIZE
ALX-TR014	1/4"	ALX-TR06	6mm	ALX-DR014	1/4"	ALX-DR06	6mm	ALX-SR014	1/4"	ALX-SR06	6mm
ALX-TR516	5/16"	ALX-TR08	8mm	ALX-DR516	5/16"	ALX-DR08	8mm	ALX-SR516	5/16"	ALX-SR08	8mm
ALX-TR38	3/8"	ALX-TR10	10mm	ALX-DR38	3/8"	ALX-DR10	10mm	ALX-SR38	3/8"	ALX-SR10	10mm
ALX-TR12	1/2"	ALX-TR12	12mm	ALX-DR12	1/2"	ALX-DR12	12mm	ALX-SR12	1/2"	ALX-SR12	12mm
ALX-TR58	5/8"	ALX-TR14	14mm	ALX-DR58	5/8"	ALX-DR14	14mm	ALX-SR58	5/8"	ALX-SR14	14mm
ALX-TR34	3/4"	ALX-TR16	16mm	ALX-DR34	3/4"	ALX-DR16	16mm	ALX-SR34	3/4"	ALX-SR16	16mm

SADDLE TYPE STRUT CLAMPS U-BOLT WITH SCREW



CAT#	SIZE
ALX-971	1/2"
ALX-972	3/4"
ALX-973	1"
ALX-974	1 1/4"
ALX-975	1 1/2"
ALX-976	2"
ALX-977	2 1/2"
ALX-978	3"
ALX-979	4"

CAT#	SIZE
ALX-761	1/2"
ALX-762	3/4"
ALX-763	1"
ALX-764	1 1/4"
ALX-765	1 1/2"
ALX-766	2"
ALX-767	2 1/2"
ALX-768	3"
ALX-770	4"

LOOP HANGER WITH NUT CLEVIS HANGER



ZINC DIE CAST

CAT#	SIZE
ALX-951	1/2"
ALX-952	3/4"
ALX-953	1"
ALX-954	1 1/4"
ALX-955	1 1/2"
ALX-956	2"
ALX-957	2 1/2"
ALX-959	3"
ALX-960	4"
ALX-961	5"
ALX-962	6"
ALX-963	7"
ALX-964	8"

ZINC DIE CAST

CAT#	SIZE
ALX-991	1/2"
ALX-992	3/4"
ALX-993	1"
ALX-994	1 1/4"
ALX-995	1 1/2"
ALX-996	2"
ALX-997	2 1/2"
ALX-998	3"
ALX-999	4"
ALX-910	5"
ALX-911	6"
ALX-912	7"
ALX-913	8"
ALX-914	10"
ALX-915	12"

STANDARD RISER CLAMP



SIZE	ZINC PLATED	EPOXY COATED	COPPER PLATED
	CAT#	CAT#	CAT#
1/2"	ALX-780Z	ALX-780E	ALX-780C
3/4"	ALX-781Z	ALX-781E	ALX-781C
1"	ALX-782Z	ALX-782E	ALX-782C
1 1/4"	ALX-783Z	ALX-783E	ALX-783C
1 1/2"	ALX-784Z	ALX-784E	ALX-784C
2"	ALX-785Z	ALX-785E	ALX-785C
2 1/2"	ALX-786Z	ALX-786E	ALX-786C
3"	ALX-787Z	ALX-787E	ALX-787C
3 1/2"	ALX-788Z	ALX-788E	ALX-788C
4"	ALX-789Z	ALX-789E	ALX-789C
5"	ALX-780Z	ALX-780E	ALX-780C
6"	ALX-781Z	ALX-781E	ALX-781C
8"	ALX-782Z	ALX-782E	ALX-782C

GROUND ROD



CCS/BRASS

CAT#	SIZE
ALX-420	3/8"
ALX-421	1/2"
ALX-422	5/8"
ALX-423	3/4"

GROUND ROD CLAMPS



For Direct Burial-bronze

CAT#	SIZE
ALX-410	3/8"
ALX-411	1/2"
ALX-412	5/8"
ALX-413	3/4"

BEAM CLAMPS



MALLEABLE IRON

CAT#	SIZE
ALX-122H	1"
ALX-123H	2"
ALX-124H	2 1/2"



MALLEABLE IRON

CAT#	SIZE	JAW OPENING x TAPPING
ALX-122ML	1"	3/4"x1/4"-20
ALX-123ML	2"	7/8"x3/8"-16
ALX-124ML	2 1/2"	1 1/8"x1/2"-13



STEEL

CAT#	SIZE	JAW OPENING x TAPPING
ALX-122S	1"	1 1/16"x1/4"-20
ALX-123S	2"	1"x3/8"-16

GREEN GROUND SCREW



CAT#	SIZE
ALX-48	10-32"x3/8"

GREEN PIGTAIL



CAT#	Size
ALX-49	12Ga 7 1/2" x 10-32"x3/8"
ALX-50	14Ga 7 1/2" x 10-32"x3/8"

CANDY CLAMP A6



CAT#	SIZE	CAT#	SIZE
ALX-A6	1/2" & 3/4"	ALX-A61	1/2" & 3/4"

LAMP HOLDER PLASTIC



CAT#	Size
ALX-LH350	3 1/2"
ALX-LH450	4 1/2"

PORCELAIN



CAT#	Size
ALX-PLH350	3 1/2"
ALX-PLH450	4 1/2"

PIGTAIL SOCKETS



CAT#	Size
ALX-T124	6" Long
ALX-T124L	6" Long

SELF-LOCKING NYLON CABLE TIES



ITEM CODE	L		ITEM CODE	L	
	INCH	MM		INCH	MM
ALX-3 x 60	2 3/8"	60	ALX-5 x 500	19 11/16"	500
ALX-3 x 80	3 3/16"	80	ALX-8 x 150	6"	150
ALX-3 x 90	3 5/8"	90	ALX-8 x 180	7"	180
ALX-3 x 100	4"	100	ALX-8 x 200	8"	200
ALX-3 x 120	4 3/4"	120	ALX-8 x 250	10"	250
ALX-3 x 140	5 1/2"	140	ALX-8 x 270	10 5/8"	270
ALX-3 x 150	6"	150	ALX-8 x 300	11 5/8"	300
ALX-3 x 160	6 1/4"	160	ALX-8 x 350	13 3/4"	350
ALX-3 x 200	8"	200	ALX-8 x 370	14 1/4"	370
ALX-4 x 120	4 3/4"	120	ALX-8 x 400	15 3/4"	400
ALX-4 x 140	5 1/2"	140	ALX-8 x 450	17 3/4"	450
ALX-4 x 150	6"	150	ALX-8 x 500	19 11/16"	500
ALX-4 x 180	7"	180	ALX-8 x 720	29 9/16"	750
ALX-4 x 200	8"	200	ALX-9 x 450	17 3/4"	450
ALX-4 x 220	8 5/8"	220	ALX-9 x 500	20 3/4"	530
ALX-4 x 250	10"	250	ALX-9 x 550	21 1/16"	550
ALX-4 x 280	11"	280	ALX-9 x 650	25 9/16"	650
ALX-4 x 300	11 5/8"	300	ALX-9 x 700	27 1/2"	700
ALX-4 x 370	14 1/2"	370	ALX-9 x 760	30"	760
ALX-5 x 120	4 3/4"	120	ALX-9 x 920	36 1/4"	920
ALX-5 x 180	7"	180	ALX-9 x 1020	40 1/6"	1020
ALX-5 x 190	7 1/2"	190	ALX-9 x 1150	45 1/4"	1150
ALX-5 x 200	8"	200	ALX-9 x 1210	47 3/4"	12010
ALX-5 x 250	10"	250	ALX-9 x 1350	53"	1350
ALX-5 x 280	11"	280	ALX-10 x 450	17 3/4"	450
ALX-5 x 300	7 5/8"	300	ALX-10 x 500	19 11/16"	500
ALX-5 x 350	13 3/4"	350	ALX-12 x 300	11 5/8"	300
ALX-5 x 370	14 1/2"	370	ALX-12 x 400	15 3/4"	400
ALX-5 x 380	18"	380	ALX-12 x 540	21 1/4"	540
ALX-5 x 400	15 3/4"	400	ALX-12 x 650	25 9/16"	650
ALX-5 x 430	17"	430	ALX-12 x 750	29 9/16"	750
ALX-5 x 450	17 3/4"	450	ALX-12 x 780	30 3/4"	780

CABLE MARKERS



ROUND

ITEM CODE	APPROX WIRE		MARKERS	PACKING
	Sq (m ²)	mm		
ALX-EC-0	0.75-1.5	2.0-3.2	0-9 A-Z +/-/\	1000PCS / ROLL
ALX-EC-1	0.75-3.5	3.0-4.2		1000PCS / ROLL
ALX-EC-2	3.50-8.0	3.6-7.4		500PCS / ROLL
ALX-EC-3	5.20-10.0	5.2-10.0		250PCS / ROLL

FLAT

ITEM CODE	APPROX WIRE		MARKERS	PACKING
	Sq (m ²)	mm		
ALX-EC-J	2-8	0.5-7.0	0-9 A-Z +/-/\	500PCS / ROLL

STAINLESS STEEL CABLE TIES/LOCK BALL PVC COATED TIES




ITEM CODE	L MM	W MM	BUNDLE DIAETER (mm)	TENSILE STRENGTH		STAINLESS STEEL TYPE	
				LBS	KGS		
ALX-SST-100/SSTP-100	100	4.6	22	100	46	201	
ALX-SST-152/SSTP-152	152	4.6	35	100	46		
ALX-SST-200/SSTP-200	200	4.6	50	100	46		
ALX-SST-300/SSTP-300	300	4.6	80	100	46		
ALX-SST-360/SSTP-360	360	4.6	95	100	46		
ALX-SST-520/SSTP-520	520	4.6	150	100	46		
ALX-SST-680/SSTP-680	680	4.6	195	100	46		
ALX-SST-840/SSTP-840	840	4.6	250	100	46		
ALX-SST-1050/SSTP-1050	1050	4.6	285	100	46		
ALX-SST-152/SSTP-152	152	7.9	35	145	65		304
ALX-SST-200/SSTP-200	200	7.9	50	145	65		
ALX-SST-300/SSTP-300	300	7.9	80	145	65		
ALX-SST-360/SSTP-360	360	7.9	95	145	65		
ALX-SST-520/SSTP-520	520	7.9	150	145	65		
ALX-SST-680/SSTP-680	680	7.9	195	145	65		
ALX-SST-840/SSTP-840	840	7.9	250	145	65		
ALX-SST-1050/SSTP-1050	1050	7.9	285	145	65		
ALX-SST-152/SSTP-152	152	9.5	35	170	75	316	
ALX-SST-200/SSTP-200	200	9.5	50	170	75		
ALX-SST-300/SSTP-300	300	9.5	80	170	75		
ALX-SST-360/SSTP-360	360	9.5	95	170	75		
ALX-SST-520/SSTP-520	520	9.5	150	170	75		
ALX-SST-680/SSTP-680	680	9.5	195	170	75		
ALX-SST-840/SSTP-840	840	9.5	250	170	75		
ALX-SST-1050/SSTP-1050	1050	9.5	285	170	75		

FLAT CABLE CLIPS




ITEM CODE	B (mm)	H (mm)	A (mm)	NAIL
AXF-2.5mm	2.5	3.5	2.0	1.5 x 15
AXF-4.0mm	4	5.5	3.5	1.7 x 14
AXF-5.0mm	5	5.5	3.5	1.7 x 14
AXF-6.0mm	6	6.0	4.1	1.7 x 16
AXF-7.0mm	7	6.5	4.7	1.9 x 16
AXF-8.0mm	8	7.0	5.0	2.1 x 19
AXF-9.0mm	9	8.0	5.4	2.1 x 20
AXF-10mm	10	8.0	5.6	2.3 x 21
AXF-12mm	12	8.5	5.6	2.3 x 23
AXF-14mm	14	10.0	7.0	2.3 x 23
AXF-18mm	18	12.5	8.5	2.6 x 27
AXF-19mm	19	14.0	10.5	2.6 x 27



CIRCLE CABLE CLIPS




ITEM CODE	D (mm)	H (mm)	NAIL
AXR-3.5mm	3.5	4.2	1.47 x 14
AXR-4.0mm	4.0	5.3	1.7 x 14
AXR-5.0mm	5.0	6.0	1.7 x 14
AXR-6.0mm	6.0	8.0	1.82 x 16
AXR-7.0mm	7.0	8.7	1.82 x 18
AXR-8.0mm	8.0	9.5	1.95 x 19
AXR-9.0mm	9.0	11.0	2.05 x 22
AXR-10mm	10.0	12.0	2.1 x 23
AXR-12mm	12.0	13.5	2.2 x 25
AXR-14mm	14.0	16.5	2.3 x 30
AXR-16mm	16.0	18.0	2.35 x 32
AXR-17mm	17.0	20.0	2.6 x 38
AXR-18mm	18.0	20.5	2.6 x 38
AXR-20mm	20.0	22.5	2.7 x 40
AXR-22mm	22.0	23.5	2.9 x 43
AXR-25mm	25.0	26.5	3.1 x 50
AXR-30mm	30.0	32.5	3.5 x 55
AXR-32mm	32.0	34.5	3.5 x 55
AXR-35mm	35.0	38.0	3.5 x 60
AXR-40mm	40.0	43.8	3.5 x 65



NYLON CABLE GLANDS

MATERIAL: NYLON PROTECTION DEGREE: IP68
COLOR: BLACK, GRAY



THREAD: PG THREAD

CAT#	Applicable to cable	Thread diameter(C1)	Thread length(C2)	Wrench diameter
ALX-PG7N	3-6.5	12.5	8	16
ALX-PG9N	4-8	15.2	8	19
ALX-PG11N	5-10	18.6	8	22
ALX-PG13.5N	6-12	20.4	10	24
ALX-PG16N	10-14	22.5	10	27
ALX-PG19N	12-16	24	10	27
ALX-PG21N	13-18	28.3	10	33
ALX-PG25N	16-21	30	11	35
ALX-PG29N	18-25	37	12	42
ALX-PG36N	22-32	47	14	52
ALX-PG42N	32-38	54	14	60
ALX-PG48N	37-44	59.3	15	64

THREAD: METRIC THREAD


CAT#	Applicable to cable	Thread diameter(C1)	Thread length(C2)	Wrench diameter
ALX-M12 x 1.5	3-6.5	12	8	16
ALX-M16 x 1.5	4-8	16	8	19
ALX-M18 x 1.5	5-10	18	8	22
ALX-M20 x 1.5	6-12	20	10	24
ALX-M22 x 1.5	10-14	22	10	27
ALX-M25 x 1.5	13-18	25	10	33
ALX-M32 x 1.5	16-21	32	11	35
ALX-M36 x 1.5	18-25	36	12	42
ALX-M40 x 1.5	22-32	40	14	52
ALX-M50 x 1.5	32-38	50	14	60
ALX-M63 x 1.5	37-44	63	15	64

THREAD: NPT THREAD

CAT#	Applicable to cable	Thread diameter(C1)	Thread length(C2)	Wrench diameter
ALX-NPT3/8"	4-8	17	15	19
ALX-NPT1/2"	6-12	21.2	13	24
ALX-NPT3/4"	13-18	26.2	15	33
ALX-NPT1"	18-25	33.3	16	41
ALX-NPT1 1/4"	18-25	42	18	46
ALX-NPT1 1/2"	22-32	48	19	53

BRASS CABLE GLANDS

MATERIAL: BRASS(or STAINLESS STEEL 304/316)
PROTECTION DEGREE: IP68



THREAD: PG THREAD

CAT#	Applicable to cable	Thread diameter(C1)	Thread length(C2)	Wrench diameter
ALX-PG7B	3-6.5	12.5	6	14
ALX-PG9B	4-8	15.2	7	17
ALX-PG11B	5-10	18.6	7	20
ALX-PG13.5B	6-12	20.4	7.5	22
ALX-PG16B	10-14	22.5	7.5	24
ALX-PG21B	13-18	28.3	8	30
ALX-PG29B	18-25	37	9	40
ALX-PG36B	22-32	47	9	50
ALX-PG42B	32-38	54	10	57
ALX-PG48B	37-44	59.3	11	64

THREAD: METRIC THREAD

CAT#	Applicable to cable	Thread diameter(C1)	Thread length(C2)	Wrench diameter
ALX-BM12 x 1.5	3-6.5	12	6	14
ALX-BM16 x 1.5	4-8	16	7	17
ALX-BM18 x 1.5	5-10	18	7	20
ALX-BM20 x 1.5	6-12	20	7.5	22
ALX-BM22 x 1.5	10-14	22	7.5	24
ALX-BM25 x 1.5	13-18	25	8	30
ALX-BM32 x 1.5	16-21	32	9	40
ALX-BM40 x 1.5	22-32	40	9	50
ALX-BM50 x 1.5	32-38	50	10	57
ALX-BM63 x 1.5	37-44	63	11	64


THREAD: NPT THREAD

CAT#	Applicable to cable	Thread diameter(C1)	Thread length(C2)	Wrench diameter
ALX-NPT3/8"B	4-8	17	8	18
ALX-NPT1/2"B	6-12	21.2	8	22
ALX-NPT3/4"B	13-18	26.2	9	30
ALX-NPT1"B	18-25	33.3	11	40
ALX-NPT1 1/4"B	25-33	41.9	13	50
ALX-NPT1 1/2"B	32-38	48	14	57
ALX-NPT2"B	37-44	60	14	64

EXPAND PLUGS



ITEM CODE	L (mm)	D (mm)	d (mm)	SCREW (mm)
EN-06	29.8	6.0	4.9	φ 4 x 32
EN-07	29.8	7.0	5.3	φ 5 x 32
EN-08	39.2	8.0	5.3	φ 5 x 40
EN-10	44.0	9.9	5.8	φ 5 x 45
EN-12	48.3	11.6	6.3	φ 6 x 50



WIRE CONNECTORS

Winged



CAT#	Color	Wire Range		
		Min.	Max.	Volts
Joins #18 through #10 AWG				
ALX-WY1	Yellow	2#18	3#12	600V
ALX-WY2	Yellow	2#18	3#12	600V
Joins #18 through #10 AWG				
ALX-WR1	Red	2#14	5#12	600V
ALX-WR2	Red	2#14	5#12	600V

Fluted Body



CAT#	Color	Wire Range		
		Min.	Max.	Volts
Joins #22 through #14 AWG				
ALX-W81G1	Gray	2#22	2#16	300V
ALX-W81G2	Gray	2#22	2#16	300V
Joins #22 through #14 AWG				
ALX-W82B1	Blue	2#18	3#16	300V
ALX-W82B2	Blue	2#18	3#16	300V
Joins #22 through #14 AWG				
ALX-W8301	Orange	2#18	2#14	600V
ALX-W8302	Orange	2#18	2#14	600V
Joins #18 through #10 AWG				
ALX-W84Y1	Yellow	3#18	4#14&1#18	600V
ALX-W84Y2	Yellow	3#18	4#14&1#18	600V
Joins #18 through #8 AWG				
ALX-W86R1	Red	2#14	4#12	600V
ALX-W86R2	Red	2#14	4#12	600V

Standard Material
• Polypropylene

PVC ELECTRICAL TAPE



7 mil.-PVC

CAT#	Size	Color	CAT#	Size	Color
ALX-830T	3/4" x 30'	Black	ALX-866GRY	3/4" x 66'	Gray
ALX-860T	3/4" x 60'	Black	ALX-866ORN	3/4" x 66'	Orange
ALX-866T	3/4" x 66'	Black	ALX-866RED	3/4" x 66'	Red
ALX-866BLU	3/4" x 66'	Blue	ALX-866WHT	3/4" x 66'	White
ALX-866BRN	3/4" x 60'	Brown	ALX-866YEJ	3/4" x 66'	Yellow
ALX-866GRN	3/4" x 66'	Green	ALX-867T	1-1/2" x 66'	Black

THICKNESS: 0.13MM/0.15MM/0.18MM/0.20MM
LENGTH: 5Y/5M/10Y/10M/20Y/20M
WIDTH: 12MM/15MM/17MM/18MM/19MM/25MM/48MM/50MM
ALL REQUIREMENT AVAILABLE

TERMINAL LUGS

Compression Lugs One Hole - Short Barrel



Standard Material
• Copper
Standard Finish
• Tin plated

Compression Lugs Two Hole - Short Barrel



Standard Material
• Copper
Standard Finish
• Tin plated

CAT#	Wire Size	Color Code	Bolt Size	A	B
ALX-2901	#8	Red	10	1.20	0.42
ALX-2901A	#8	Red	1/4"	1.20	0.42
ALX-2902	#6	Blue	1/4"	1.50	0.42
ALX-2902A	#6	Blue	5/16"	1.50	0.42
ALX-2903	#4	Gray	1/4"	1.50	0.71
ALX-2903A	#4	Gray	5/16"	1.50	0.71
ALX-2903B	#4	Gray	3/8"	1.50	0.71
ALX-2905	#2	Brown	3/8"	1.80	0.83
ALX-2905A	#1	Green	3/8"	1.83	0.67
ALX-2906	1/0	Pink	3/8"	1.83	0.74
ALX-2907	2/0	Black	3/8"	2.24	0.81
ALX-2907A	2/0	Black	1/2"	2.24	0.81
ALX-2908	3/0	Orange	3/8"	2.36	0.90
ALX-2909	4/0	Purple	1/2"	2.36	1
ALX-2909A	250 MCM	Yellow	1/2"	2.48	1.09
ALX-2909B	300 MCM	White	1/2"	2.49	1.19
ALX-2910	350 MCM	Red	1/2"	2.61	1.28
ALX-2910A	400 MCM	Blue	1/2"	3.95	1.39
ALX-2911	500 MCM	Brown	5/8"	3.28	1.54
ALX-2911A	600 MCM	Green	5/8"	3.50	1.72
ALX-2912	750 MCM	Black	5/8"	4.37	1.90

CAT#	Wire Size	Color Code	Bolt Size	A	B
ALX-2921	#8	Red	10	2.50	0.45
ALX-2922	#6	Blue	1/4"	2.56	0.45
ALX-2923	#4	Gray	1/4"	2.34	0.50
ALX-2925	#2	Brown	5/16"	2.58	0.61
ALX-2925A	#2	Brown	3/8"	3.05	0.61
ALX-2926	1/0	Pink	5/16"	3.14	0.75
ALX-2927	2/0	Black	3/8"	3.24	0.83
ALX-2927A	2/0	Black	1/2"	4.17	0.83
ALX-2928	3/0	Orange	1/2"	4.25	0.91
ALX-2929	4/0	Purple	1/2"	4.28	1.02
ALX-2929A	250 MCM	Yellow	1/2"	4.41	1.11
ALX-2929B	300 MCM	White	1/2"	4.53	1.24
ALX-2930	350 MCM	Red	1/2"	4.53	1.24
ALX-2931	400 MCM	Blue	1/2"	4.81	1.34
ALX-2932	500 MCM	Brown	1/2"	4.88	1.52
ALX-2933	600 MCM	Green	3/8"	4.49	1.73
ALX-2934	750 MCM	Black	1/2"	4.79	1.89

COMPRESSION LUG SPLICES

SHORT BARREL



CAT#	Wire Size	Color Code	CAT#	Wire Size	Color Code
ALX-3301	#8	Red	ALX-3309	4/0	Purple
ALX-3302	#6	Blue	ALX-3309A	250 MCM	Yellow
ALX-3303	#4	Gray	ALX-3310	350 MCM	Red
ALX-3305	#2	Brown	ALX-3310A	400 MCM	Blue
ALX-3305A	#1	Green	ALX-3311	500 MCM	Brown
ALX-3306	1/0	Pink	ALX-3311A	600 MCM	Green
ALX-3307	2/0	Black	ALX-3312	750 MCM	Black
ALX-3308	3/0	Orange			

MECHANICAL LUGS

DOUBLE - DUAL RATED - ALUMINUM



CAT#	Recommended Torque in Lbs	Wire Range Min.-Max.
ALX-2807	50	#14-1/0
ALX-2808	50	#14-2/0
ALX-2809	275	#6-250 MCM
ALX-2817	275	#6-350 MCM
ALX-2818	375	#2-600 MCM
ALX-2819	375	300 MCM - 800 MCM

SINGLE - ALUMINUM



CAT#	Recommended Torque in Lbs	Size	Wire Range Min.-Max.
ALX-805	35	1/4"	#14-#6
ALX-806	50	1/4"	#14-#2
ALX-807	180	1/4"	#14-1/0
ALX-808	120	1/4"	#14-2/0
ALX-809*	325	5/16"	#6-4/0
ALX-1810*	325	5/16"	#6-300 MCM
ALX-817*	325	5/16"	#6-350 MCM
ALX-818*	375	5/16"	#4-500 MCM
ALX-1818*	500	3/8"	#9-600 MCM
ALX-819*	500	3/8"	350 MCM - 800 MCM

LAY-IN LUGS

DUAL RATED - ALUMINUM



CAT#	Recommended Torque in Lbs	Size	Wire Range Min.-Max.
ALX-810	35	1/4"	#14-#4
ALX-811	50	1/4"	#14-1/0
ALX-812	275	5/16"	6 - 250 MCM

SOLDERLESS LUGS

SINGLE HOLE-OFFSET TANG-COPPER



CAT#	Amp rating	Recommended Torque in Lbs	Size	Wire Range Min.-Max.
ALX-820	25	20	1/8"	#14-#10
ALX-821	35-50	45	3/16"	#14-#6
ALX-822	70	50	1/4"	#2-#8
ALX-823	70-90	50	1/4"	#2-#6
ALX-824	125	50	1/4"	#8-1/0
ALX-825	175	124	3/8"	#4-3/0
ALX-826	225	204	5/16"	#6-4/0
ALX-827	300	325	3/8"	1/0-350 MCM
ALX-828	400	375	3/8"	4/0-500 MCM
ALX-829	650	500	1/2"	600 MCM - 100 MCM

SPLIT BOLT CONNECTORS

Solderless - For Copper & Copperweld Wire - Copper Alloy




CAT#	Wire Size	Maximum Run to Minimum Tap	
		Run	Tap
ALX-690	#10	16 STR	10 STR
ALX-691	#8	8 STR 8 SOL	16 STR 16 SOL
ALX-692	#6	6 STR	16 STR
ALX-693	#6	6 STR 6 SOL	14 STR 14 SOL
ALX-694	#4	4 STR 4 SOL	14 STR 14 SOL
ALX-695	#2	2 STR 2 SOL	14 STR 14 SOL
ALX-696	1/0	1/0 STR 1/0 SOL	14 STR 14 SOL
ALX-697	2/0	2/0 STR 2/0 SOL	14 STR 14 SOL
ALX-698	3/0	3/0 STR 3/0 SOL	8 STR 8 SOL
ALX-699	4/0-250 MCM	250 STR	8 STR
ALX-700	350 MCM	350 STR	1/0 STR
ALX-701	500 MCM	500 STR	2/0 STR
ALX-702	750 MCM	350 MCM	750 MCM
ALX-703	1000 MCM	500 MCM	1000 MCM

CABLE LUGS

JGK TYPE



JGY TYPE



ITEM CODE	φ	D	d	L
JGK/JGY-1.5	φ 4.2, φ 5.2	3.5	2.3	18
JGK/JGY-2.5	φ 4.2, φ 5.2, φ 6.2	4	2.8	19
JGK/JGY-4	φ 5.2, φ 6.2	4.8	3.1	20
JGK/JGY-6	φ 5.2, φ 6.2, φ 8.2	5.5	3.8	23
JGK/JGY-10	φ 6.2, φ 8.2	6.8	4.8	24.5
JGK/JGY-16	φ 6.2, φ 8.2, φ 10.5	7.5	5.5	29.5
JGK/JGY-25	φ 6.2, φ 8.2, φ 10.5	9	7	32.5
JGK/JGY-35	φ 6.2, φ 8.2, φ 10.5, φ 12.5	10.5	8.3	37.5
JGK/JGY-50	φ 8.2, φ 10.5, φ 12.5	12.5	9.8	44.5
JGK/JGY-70	φ 8.2, φ 10.5, φ 12.5	14.5	11.5	48
JGK/JGY-95	φ 10.5, φ 12.5	17.5	13.8	54
JGK/JGY-120	φ 12.5, φ 16.5	19.5	15.5	61
JGK/JGY-150	φ 12.5, φ 16.5	21	16.5	68
JGK/JGY-185	φ 16.5	23.5	18.8	76
JGK/JGY-240	φ 16.5	26	21	88.5
JGK/JGY-300	φ 16.5, φ 20.5	30	24	99
JGK/JGY-400	φ 16.5, φ 20.5	34	27	110.5
JGK/JGY-500	φ 16.5, φ 20.5	38	30	121
JGK/JGY-630	φ 20.5	45	35	135.5
JGK/JGY-800	φ 22.5	50	39	170
JGK/JGY-1000	φ 22.5	56	44	200


BOLTED LUG

COPPER



WCJB

ITEM CODE	DIMENSION(mm)			
	L	D	B	φ
WCJB6-10-6	31	15	18.5	6.5
WCJB16-25-8	46	18.5	24	8.5
WCJB25-35-10	53	21.5	24	10.5
WCJB50-70-10	63	23.5	31	10.5
WCJB70-95-12	69	24	34	13
WCJB120-150-12	76	30	42	13
WCJB120-150-16	76	30	42	17
WCJB185-240-16	85.5	34	48.5	17
WCJB185-240-20	88.5	36	48.5	21
WCJB240-300-20	87	34.5	50.5	21




BRASS



WCJC


ITEM CODE	DIMENSION(mm)			
	L	D	B	φ
WCJC16-8	37	16	21.5	8
WCJC25-35-10	48	22	23	11
WCJC50-70-10	61	23	30	11
WCJC70-95-12	66.5	27	33	13
WCJC120-150-14	73	32	36	15
WCJC185-240-16	91	39	46	17
WCJC300-20	105	45.5	55	21
WCJC400-22	122	50	60	23



BOLTED BRASS SLEEVE



ITEM CODE	DIMENSION(mm)		
	L	d	M
ETC10-16	40	5.5	4
ETC16-25	45	7	5
ETC25-35	45	8.5	6
ETC35-50	50	10	8
ETC50-70	55	11.8	8
ETC70-95	55	13.6	8



STEEL ENCLOSURE WITH MOUNTING PLATE, IP66, IK10




CAT#	H	WW	D
	mm	mm	mm
ALX-3215	300	200	150
ALX-4315	400	300	150
ALX-4320	400	300	200
ALX-5415	500	400	150
ALX-5420	500	400	200
ALX-6420	600	400	200
ALX-6425	600	400	250
ALX-8620	800	600	200
ALX-8620	800	600	200
ALX-8625	800	600	250
ALX-10830	1000	800	300
ALX-12830	1200	800	300
ALX-12840	1200	800	400
ALX-141040	1400	1000	400

DISTRIBUTION BOX




Specification	Dimension	L	W	H	Holes	IP
B-A 50 x 50		50		50	4	55
B-A 80 x 50		80		50	4	55
B-A 85 x 85 x 50		85	85	50	7	55
B-A 100 x 100 x 70		100	100	70	7	65
B-A 150 x 110 x 70		150	110	70	10	65
B-A 150 x 150 x 70		150	150	70	8	65
B-A 200 x 155 x 80		200	155	80	8	65
B-A 200 x 100 x 70		200	100	70	10	65
B-A 255 x 200 x 80		255	200	80	12	65
B-A 300 x 250 x 120		300	250	120	12	65
B-A 400 x 350 x 120		400	350	120	16	65




Specification	Dimension	L	W	H	Holes	IP
B-T 50 x 50		50		50	4	55
B-T 80 x 50		80		50	4	55
B-T 100 x 100 x 70		100	100	70	7	65
B-T 150 x 110 x 70		150	110	70	10	65
B-T 200 x 100 x 70		200	100	70	10	65
B-T 255 x 200 x 80		255	200	80	12	65

DISTRIBUTION BOX




Specification	Dimension	L	W	H
TS-4WAYS		112	200	95
TS-6WAYS		148	200	95
TS-8WAYS		184	200	95
TS-10WAYS		222	200	95
TS-12WAYS		256	200	95
TS-15WAYS		310	200	95
TS-18WAYS		365	222	95
TS-24WAYS		271	325	97
TS-36WAYS		271	462	100



Specification	Dimension	L1	W1	H1	L	W	H
TF-4WAYS		115	197	60	136	222	27
TF-6WAYS		148	197	60	170	222	27
TF-8WAYS		184	197	60	207	222	27
TF-10WAYS		222	197	60	243	222	27
TF-12WAYS		258	197	60	279	222	27
TF-15WAYS		310	197	60	334	222	27
TF-18WAYS		365	219	67	398	251	27
TF-24WAYS		258	310	66	300	345	27
TF-36WAYS		258	449	66	300	484	27



Specification	Dimension	H1	H2	H3	L	L1	M1	M
L-6WAYS		60	74	99.5	185	172	130	130
L-8WAYS		60	74	99.5	230	216.2	165.2	165.2
L-12WAYS		60	74	99.5	308	196.2	200.2	200.2
L-16WAYS		59	73	103	233	219.2	279.2	279.2
L-24WAYS		59	73	103	314	299.2	333.2	333.2
L-36WAYS		59	73	103	314	299.2	428.7	428.7



Specification	Dimension	L	W	H
S-1WAYS		34	130	60
S-2WAYS		52	130	60
S-4WAYS		87	130	60
S-6WAYS		123	130	60
S-8WAYS		160	130	60